
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



ANNUAL SERVICE OF CATALOGICAL CONTRACTOR OF CONTRACTOR OF

U.S. Do

62 34

THOS.W.EMERSON CO.
74976 So MARKET ST.

Pealers in Grass. Field and Garden Seeds.
Also Beans and Peas for Cooking Purposes.

OUR SEEDS

ARE

NORTHERN GROWN

And Tested. Equal to any the World Produces.

OUR AIM IS TO OBTAIN____

PURE SEEDS OF EXTRA QUALITY.

OUR TERMS.

Bills of Garden Seeds for spring shipment are due June 1st, or 1 per cent per month discount for cash. Round lots of special items, 60 days or 1½ per cent discount for cash in ten days. Grass and Grain Seeds, thirty days or one-half of one per cent cash in ten days.

Two-bushel Cotton Bags at 16 cents each. Small bags, from one-eighth to one bushel, 10 cents each.

In remitting for orders, please add a sum to cover the cost of the necessary bags.

References requested from unknown correspondents.

SEEDS BY MAIL.

All Vegetable or Flower Seeds ordered at catalogue rates, in packets or ounces, will be sent free by mail; safe arrival guaranteed. When Seeds are ordered in quantities of one-quarter pound and upwards, postage must be added at the rate of eight cents per pound, except Beans and Peas, to which add 15 cents per quart, and to Corn and Onion Sets 10 cents per quart, to the catalogue prices.

We deliver Seeds to any express or railroad as may be directed, and the purchaser pays all transportation charges.

OUR PACKET SEEDS

EVERY
RETAIL
MERCHANT
SHOULD
SELL THEM

WHY?

BECAUSE each and every packet contains twice as much seed as is usually put in any commission packet.

William

ALL our seeds are grown for us by growers who have a national reputation for producing high-grade

seeds; therefore all our packets contain seeds equal to any sold in bulk or otherwise. All our packet seeds cost the merchant and the farmer the same as commission seeds.

William

WE give all Merchant Customers the privilege of selecting their own assortments of packet seeds.

ALL Vegetable Seed packets put up in neat boxes of 250 each. Flower Seed packets in boxes of 100 each.

Thos. W. Emerson Company

74 MD 76 SOUTH MARKET ST.

BOSTON, MASS.

Thomas W. Emerson Co.

Is the only Wholesale Seed-House in New England that does not advertise seeds at retail. We issue this catalogue for the sole benefit of our merchant customers and as a guide to them in retailing our high-grade seeds.

WARRANTIES.

We are often asked, "Do you guarantee your seeds to grow?" Complaints sometimes made that seeds are not good, may quite as often be attributed to other causes as to the quality of the seeds. There are hundreds of contingencies continually arising to prevent the best seeds always giving satisfaction, such as sowing too deep, in too wet or dry soil, insects of all descriptions destroying the plant as soon as it appears, wet weather, frosts, etc.

We think a little consideration will convince any one that, if we know our own interests, we should not be likely to send out poor seeds, at the risk of sacrificing our trade.

For the above reasons, we wish to state in this explicit form, that, while we exercise great care to have all seeds pure, reliable and true to name, our seeds are sold without any warranty, expressed or implied, and without any responsibility in respect to the crop. If our seeds are not accepted on these terms, they must be returned at once.

THOS. W. EMERSON Co.

DIRECTIONS FOR THE CULTIVATION OF VEGETABLES.

To secure a good crop of vegetables, three things at least are necessary, viz., a suitable soil, pure seeds and clean culture; to which may be added as equally necessary, an abundant supply of good barn-yard manure, supplemented, when this runs short, by artificial fertilizers. The exposure for a vegetable garden should be preferably south or southeast, or nearly so. The soil should be naturally rich and friable, a sandy loam being among the best. If the soil be stiff, it should be gradually mellowed by the free use of barnyard manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be under-drained, preferably by tile; but if possible, a location should be selected naturally dry and free from surface water.

A dark colored soil, or one supplied with a goodly portion of decayed vegetable matter, will produce the earliest crops. If the soil be shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year, and not all at once by trenching or sub-soiling, unless manure and money be both abundant. A sandy soil may be greatly improved by adding more or less vegetable mold from the woods. To produce the best and most uniform results, the vegetable garden should have at least one foot of good, rich soil. The roots of large trees should not be allowed to encroach on any part of the garden, though large trees, especially evergreens, sufficiently far off, afford a valuable protection on the north and west.

DIRECTIONS FOR MAKING A HOT-BED.

In the vicinity of Boston, from the first to the middle of March is quite early enough to make a hot-bed, and even a little later will do well enough. The time must vary according to the latitude. Provide a quantity of fresh horse manure from the stables, and add to this, if they can be had, one-third to one-half of its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermentation will proceed even in severely cold weather. In two or three days fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain two or three days longer, or until the second fermentation commences. Make an excavation, or pit, two-and-a-half feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be made in some dry, sheltered spot, facing the south or east if possible. Hot-bed sashes are usually 6x3 feet, and one sash will generally give early plants enough for a large family. The frame for sashes should be eighteen inches high at the back and twelve inches in front, which will give the proper slope to catch the sunlight. Cross-pieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames. When everything is ready, the manure is placed in the pit and trodden down firmly in layers to the required depth, two to two-and-a-half feet. Then put on the sashes and keep the pit closed until the heat rises. At first it will probably be 100 degrees or more, which is too hot to sow the seed in; but in two or three days it will subside to 90 degrees or a little less, when the soil may be put on to the depth of six to eight inches. The heat may be readily ascertained by plunging a thermometer in the manure. The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine, old manure, and in this the seeds may be sown thinly in drills two or three inches apart, and afterwards (as soon as out of the seed-leaf) either thinned out or else transplanted to another frame. Air must be given every mild day by raising the sashes at the back. Water with tepid water whenever necessary, and during cold nights and snow storms keep covered with straw mats or board shutters. Tomatoes, Peppers and Egg-Plants should be sown in a separate frame from Cabbage, Cauliflower and Lettuce, as they require more heat than the latter. The same directions may apply to hot-beds made on the surface of the ground, except that the manure should be at least a foot wider on all sides than the frame.



ARTICHOKE.

Green Globe. The standard and best variety. . . \$0 05 \$0 25 \$3 00

ASPARAGUS.

| ı | Conover's | Col | ossa | 1. 7 | The 1 | nost | approv | ed a | and sta | anda | ırd | | | | | | |
|---|-----------|-------|------|------|-------|------|--------|------|---------|------|-----|-----|----|-------------|----|------------|----|
| | sort | | | | | | | | | | | \$o | 05 | \$ 0 | 10 | \$1 | 00 |
| | Palmetto. | Of | Sout | hern | orig | in. | A very | des | irable | brig | ght | | | | | | |
| | green A | spara | agus | | | | 0 | | | | | | 05 | | 10 | 1 | 00 |

PER HUNDRED. ASPARACUS Conover's Colossal. Two-year-old roots . \$1 00 Palmetto. Two-year-old roots ROOTS. I 00 BEANS - DWARF OR BUSH. CULTURE.—About the first of May select a warm, dry, sheltered spot; dig and manure slightly; make drills two inches deep and eighteen inches to two feet apart; drop the beans three inches apart in the drills, and cover not more than two inches deep. Hoe well in dry weather to keep down the weeds. Sow every two weeks for a succession. Boston Favorite (Large Goddard). Red- QT. PK. \$0 25 \$1 50 \$5 00 podded Dwarf Horticultural Extra Early Valentine Green Pod. A selected early strain of this popular round-pod bean 25 I 50 Early Mohawk Green Pod. Long, flat and straight pods; very hardy .. 1 50 4 50 Early China Green Pod. Early, and continues long in bearing I 50 4 50 Long Yellow Six-Weeks. Early; the leading market sort; full, flat green 25 1 50 5 00 pods NEW GOLDEN-EYED WAX. New Stringless Green Pod. One of the earliest Green Pod Beans in cultivation, bearing tender, meaty, straight green pods; crisp, tender and stringless. Claimed to be earlier than the Valentine or Six-Weeks . 25 1 50 5 00 Davis White Wax. An exceedingly hardy, productive, white-seeded, wax-podded sort. All of the pods are very long, white, straight and handsome. This is the most hardy and productive bush wax-podded bean in cultivation 25 1 50 5 00 **Dwarf Horticultural.** Productive; finest early shell beans; carmine podded 1 50 5 00 Low's Champion. A very productive variety, with perfectly stringless, large, green flat pods. I 50 5 00 Refugee or 1,000 to 1. Medium to late; very productive and tender, and largely grown for main crop; round pod 25 1 50 5 00 Red Cranberry. A stringless sort; green pods, good quality 25 I 50 5 00 Emerson's (E) Pea. Very small, white variety; early, and very prolific; the most valuable sort for baking purposes in this market 1 50 5 00 25 Red Kidney. Very productive; green pods; good shell bean I 00 4 00 Yellow Eye. A good sort for field culture, used mostly for baking 25 1 00 4 00 Henderson's Bush Lima. A very dwarf sort and productive 7 00 Golden-Eyed Wax. Very hardy and prolific, with flat yellow pods of fine appearance. 25 I 50 5 00 Black Wax. Very early and delicious; round yellow pods . . 25 1 50 5 00 Detroit Wax. Similar to the Golden Wax, but is less liable to rust; yellow pods . 25 I 50 5 00 Golden Wax. Very early; round golden pods 5 00 Challenge Black Wax. A new variety of extra quality and very prolific; yellow pods I 50 5 00

Warren Bush. Vigorous and upright in growth, producing broad flat pods that are tender and

Curries' Rust Proof Black Wax. The best for earliness, productiveness, freedom from

25 1 50 5 00

25 1 50 5 00

of good flavor; we recommend it highly. Seed, purplish brown

blight or rust, and all around good points

BEANS. (CONTINUED:)

| Wardwell's Kidney Wax. Extra early; purely wax pods, long, flat and remarkably | QT. | PK. | BUS. |
|--|--------|--------|--------|
| free from rust | \$0 25 | \$1 50 | \$5 00 |
| Broad Windsor. The largest and best of the class of English Dwarf Beans for main crop; | | | |
| good | 25 | I 75 | 6 00 |
| Yosemite Mammoth Wax. The largest podded of all wax sorts, and very productive, | 40 | 2 50 | 9 00 |
| Burpee's Bush Lima. A genuine Dwarf or Bush Lima bean; yields an immense num- | | | |
| ber of pods, and is a sure cropper | 35 | 2.00 | 6 50 |
| Dreer's Bush Lima | 40 | 2 00 | 7 00 |

POLE OR RUNNING BEANS.

HARICOTS A RAMES.

Frijole de Bejuco.

Stagnen-Bohnen.

CULTURE.—Sow as the soil becomes warm and dry, from the first part of May (for all except Limas) to the latter part of May, in hills four feet apart each way. Limas should not be planted until warm weather has fairly set in. One quart of Limas will plant about 100 hills, allowing four or five beans to a hill, and of the smaller sorts about 200 hills. Poles eight or ten feet long should be firmly set in the center of the hills before putting in the seed.

| Horticultural or Speckled Cranberry. Showy, and excellent either as a snap or shell | QT. | PK. | BUS. |
|--|----------------|--------|--------|
| bean | \$ 0 30 | \$1 50 | \$5 50 |
| Dutch Case-Knife. Pods long, green and flat; can be either snapped or shelled when | | | |
| used | 30 | I 75 | 6 00 |
| Southern Prolific. A continuous bearer; of good quality | 30 | I 75 | 6 00 |
| Scarlet Runner. A popular English pole bean; very ornamental | 40 | 2 00 | 7 00 |
| White Dutch Runner. Same habit as the Scarlet Runner, flowers and beans being white | 30 | 2 00 | 7 00 |
| Black German Wax. Has yellow pods; a superb snap bean | 40 | 2 00 | 7 00 |
| Early Jersey Lima. A few days earlier in maturing than the large Lima | 40 | 2 00 | 7 00 |
| Large White Lima. Largely grown and highly esteemed | 40 | 2 00 | 7 00 |
| Challenger Lima. Thick and productive; the best of all | 40 | 2 00 | 7 00 |
| Small White Lima or Sieva. Small, but very good quality | 40 | 2 00 | 7 00 |
| King of the Garden Lima. Large pod and bean; productive | 40 | 2 00 | . 7 00 |
| Dreer's Lima. Thick, and of fine quality | 40 | 2 50 | 9 00 |
| Dreer's Golden Cluster. Very productive; large, golden yellow, fleshy pods | 40 | 2 75 | 9 00 |
| Red Cranberry. Stringless, and one of the best | 40 | 2 00 | 7 00 |
| Concord. Used as a string or shell | 30 | 2 00 | . 7 00 |
| Brockton. Very productive and of excellent quality | 30 | 2 00 | 7 00 |
| King Horticultural. (New). A new variety which is in great demand by New England gardeners; both beans and pods much larger than those of the common kind; | | | |
| pods bright carmine | 40 | 2 50 | 8 00 |
| Kentucky Wonder or Old Homestead. Pods green, very long; productive | 30 | 1 75 | 6 00 |

BEET.

Betterave. Runkel=Rube.


CULTURE.—The best results are obtained on a deep, rich, sandy loam. If wanted very early sow in hot-beds and transplant, cutting off the outer leaves, or for general crop, sow as soon as the ground will permit in drills eighteen inches apart and thin out to three inches in the row. For winter use, the turnip varieties may be sown in June. If possible, always sow in freshly prepared soil, which should be pressed firmly over the seed. A supply may be had for winter use by storing in a cellar and keeping covered with sand, earth or sods to prevent wilting, or they may be kept out doors in pits such as are used for apples and potatoes.

I ounce to 50 feet of drill, 5 to 6 pounds to acre.

Crosby's Egyptian. The name of this variety is misleading, as it resembles the Egyptian only in its extreme earliness, the sort being larger, coarser, lighter-colored and nearer round than flat; in fact, it is more like Eclipse than Egyptian. It is one of the best sorts for early planting out of doors, as it reaches a usable size sooner than any other sort, but it is not as well suited for forcing in hot-beds or for transplanting as the Egyptian. Pkt., 5c.; oz., 1oc.; lb., 75c.

Detroit Dark Red Blood Turnip Beet. One of the very best sorts not only for the market gardener but for the home gardener. This variety was introduced as an improvement in turnip shape for table use. It has a small, upright growing top, matures early, and the splendid shape and color of the roots make it popular with everyone who plants it. It has a dark blood red root; skin, flesh bright red, toned with lighter shade and very crisp, tender and sweet. Price, per pkt., 5c.; oz., 10c.; lb., 75c.

BEET. (CONTINUED.)





| Extra Early Dark Egyptian. Very | PKT. | JZ. | LB. |
|------------------------------------|--------|--------|--------|
| early, and of dark blood color; | | | |
| rather flat in shape | \$0 05 | \$0 IO | \$o 6o |
| Extra Early Eclipse. Very early; | | | , |
| round-rooted and dark red | 5 | 10 | 60 |
| Dewing's Extra Early. Early; of | | | |
| fine form and flavor, and good for | | | |
| market | 5 | 10 | 60 |
| Early Bassano. Early; flat, light | | | - |
| color | 5 | 10 | 60 |
| Edmand's Early Blood Turnip. A | X | | |
| market gardener's strain of great | | | |
| regularity in shape; deep blood | | | |
| skin, and very dark flesh of best | | | |
| quality | 5 | 10 | 60 |
| Early Blood Turnip. Dark red and | | | |
| of fine flavor; productive | . 5 | 10 | 60 |
| Bastian's Early Turnip. One of the | | | |
| earliest; light color | 5 | 10 | 60 |
| Long Smooth Blood Improved. Of | | | |
| deep blood color; more uniform and | | | |
| not so thick as the old sort | 5 | 10 | 60 |
| Swiss Chard Used for greens | 5 | 10 | 60 |
| | | | |

BEETS-MANGEL WURZEL, SUGAR, ETC.

CULTURE. - As all Mangels require a deep soil in order to grow well, plow and subsoil at least a foot to eighteen inches, and apply plenty of rich stable manure. Sow in May or June, in rows eighteen inches to two feet apart, and thin to eight inches in the rows. Young plants may be transplanted to fill up vacancies. Sow in addition, when the plants are three to four inches high, at the rate of 200 lbs. fertilizer, 200 lbs. bone flour and 400 lbs. salt per acre. As soon as frost occurs dig the crop. Sow from four to five pounds to the acre.

| 9 | crop. Sow from four to five pounds to | the ac | ic. | |
|---|--|--------|--------|--------|
| | Long Red Mangel Wurzel. A good main crop | | oz. | LB. |
| | sort | \$0 O5 | \$0 IO | \$0 40 |
| | ductives beens well | 0.5 | 10 | 40 |
| | ductive; keeps well | 05 | 10 | 40 |
| | low Globe, but of a higher color | 05 | 10 | 40 |
| | Red Globe Mangel Wurzel. Similar to the | ٥, | 10 | 40 |
| | Yellow Globe; productive | 05 | 10 | 40 |
| | Yellow Ovoid Mangel Wurzel. Of distinct | - 3 | | - |
| | shape; one of the most productive sorts | 05 | 10 | 40 |
| | Golden Tankard Mangel Wurzel. Bright | | | |
| | yellow; handsome and sweet | 05 | 10 | 40 |
| | Mammoth Long Red Mangel Wurzel. Very | | | |
| | large selected strain | 05 | 10 | 40 |
| | Mammoth Dignity Mangel. Remarkable for the | | | |
| | broad shoulder and massive shape of the root. | | | |
| | Single roots often attain the weight of thirty- five pounds each and will yield forty-five tons | | | |
| | per acre with good cultivation. The roots are | | | |
| | smooth and regular, and of blood-red color . | 05 | 10 | 40 |
| | Lane's Sugar. For sugar making or stock feeding, | | 10 | 40 |
| | White Sugar Beet. Grows to a large size, and | | | ,- |
| | is useful for making sugar as well as for stock | | | |
| | feeding | 05 | 10 | 40 |
| | Vilmorin's Improved Sugar. A much improved | | | |
| | strain of the preceding; very valuable as a sugar- | | | |
| | producing Beet | 05 | 10 | 40 |
| | | | | |

BORFCOLE OR KALE.

| DONESCE OIL TOTAL | PKT. | oz. | LB. |
|---|--------------|--------------|----------------|
| Dwarf Green Curled, or German Greens. The best for early spring greens. For fall use sow in May German Dwarf Purple. A handsome variety for spring sowing. | \$0 05 05 | \$0 10 10 | \$1 25 1 50 |
| BROCCOLI. | | | |
| White Cape. Heads medium, compact and creamy white; reliable to head | 05 | 50 | 7 00 |
| Early Purple Cape. Rather hardier sort, with greenish purple heads; good flavor . | 05 | 50 | 7 00 |
| BRUSSELS SPROUTS. Dwarf Improved French. The best for general use | 05 | 20 | 2 00 |

CABBAGE.

Berza de repollo. Снои.

CULTURE.—Soil for Cabbage should be rich and heavy loam, with good drainage. On such soil, with an abundance of stable manure, excellent crops are sure to be grown. For early spring sow in fall; not too early, or the plants are liable to bolt in the spring instead of heading. In a month the plants will be fit to transplant to cold-frames, where they are wintered, taking care in planting to set the young plants down to the first leaves. Transplant in spring as soon as the ground can be worked, setting the plants two feet apart one way and from twelve to eighteen the plants that the properties of the plants two feet apart one way and from twelve to eighteen inches the other, according to the variety. If it is desirable to economize space, Lettuce or Radish may be sown between the rows, as they will be out of the way before the Cabbage needs the room. For late or winter crops the seed is sown in May and the plants set out in July. In this case they are set in rows two by three feet, so as to work them with a horse and cultivator. One ounce will produce fifteen hundred plants.





| HENDERSON'S EARLY SUMMER CABBAGE. | SELECTED . | ERSEY V | VAKEFIELD. | | |
|---|--------------|---------|------------|---------------|--------|
| | | | PKT | | |
| Eltampes. A fine extra early, small French sort, with pointed heads . | | | . \$0 05 | \$0 25 | \$3 oo |
| Early York. The standard English sort | | | | 20 | 2 50 |
| Early Large York. The standard English sort | | | | 20 | 2 50 |
| Early Jersey Wakefield. Well known, and most valuable for early | | | | 30 | 3 50 |
| Early Winnigstadt. A standard second early variety | | | . 05 | 20 | 2 50 |
| Early Flat Dutch. A remarkably fine strain; a sure header, the head | ads weigh | ing fro | m | | |
| ten to twelve pounds | | | 05 | 25 | 2 50 |
| All-Seasons. One of the finest for second early or late, growing to a | | | | · . | |
| and surely | | | | 30 | 3 00 |
| Fottler's Brunswick. Good solid heads, either for second early or late | | | . 05 | 30 | 3 00 |
| Large Late Drumhead. A standard winter Cabbage for main crop . | | | . 05 | 30 | 3 00 |
| Vandergaw's. A sure heading sort | | | . 05 | 30 | 3 00 |
| American Drumhead Savoy. A superior sort for family use in win | iter and si | oring: | of | | |
| delicate flavor | | | | 30 | 3 00 |
| Henderson's Early Summer. A few days later than Wakefield, rather | er larger, a | nd mo | re | | |
| globe shaped; much used by market gardeners; stands long in he | ad . | | . 05 | 30 | 3 00 |
| Stone-Mason Drumhead. One of the very best for a main crop, and storing for winter use; is grown more extensively around Bost | | | | | |
| drumhead | | | | 30 | 3 00 |
| Premium Flat Dutch. A standard variety of late drumhead; much | | | _ | 30 | 3 00 |
| and West | | | | 25 | 3 00 |
| Marblehead Mammoth. The largest variety of drumhead known; nee | | | _ | , | J |
| four feet apart each way; often grows to weigh sixty pounds per | | | | 25 | 3 00 |
| English Curled Savoy. Used only to sow early in spring for greens | | | _ | | • |
| Succession. A sure heading, long keeping variety, very similar to | | | | 10 | 2 75 |
| seed is from carefully grown selected stock and is the best that of | | | | 20 | 2.00 |
| Hollander or Danish Ball Head, an unsurpassed winter variety, head | | | | 20 | 3 00 |
| hard, tender, and fine flavored | s toulid, 16 | ugc, ve | , 05 | 20 | 3 00 |
| , | | • | | | 9 |



CAULIFLOWER.

Choufleur. Coliflor. Blumen-Rohl.

CULTURE.—Any soil that will grow Cabbage will grow Cauliflower; extra manuring and preparation of the soil will be well repaid. The seeds may be sown in September and the plants wintered over in the same manner as described for early Cabbage. Where this is not practicable it may be had just as well by sowing the seeds in the hot-bed in January or February, and transplanting the plants at two or three inches apart in boxes or in the soil of another hot-bed until such time as they are safe to be planted in the open ground, which in this latitude is usually from


the 15th of March to the 10th of April. If properly hardened off they are seldom injured by planting out too early. For second early and late crop sow at the same date as given in the directions for Cabbage crop. I ounce for 1,000 plants.

| 1,000 plants. | | | | F | ĸт. | oz. | LB. | |
|---|-------|-------|------|-------|-----|--------|--------|----------|
| Earliest Dwarf Erfurt. Dwarf and very early; large, compact heads | | | | . \$0 | 05 | \$2 00 | | |
| Snowball (Henderson). Very largely grown for an early crop. Of d | warf | habit | : he | ads | - | - | | |
| white and solid. Pure stock | | | | | 05 | 2 00 | | |
| Early Paris. Ten days later than the above named. Finest imported se | ed | | | | 05 | 1 00 | | |
| Lenormand's Short Stemmed. Late variety, forming splendid large | e hea | ds of | fine | | • | | | |
| quality | | | | | 05 | 75 | | |
| Veitch's Autumn Giant. One of the finest fall varieties in cultivation | | | | | 05 | 1 50 | | |
| CARDOON. | | | | | | | | |
| Large Solid. Grows about four feet high; leaves nearly free from spines | | | | . \$0 | 05 | \$0 40 | \$4 00 |) |
| CHERVIL. | | | | | | | | |
| Curled Chervil | | • | • | . \$0 | 05 | \$o 20 | \$1 50 | , |
| CHICORY. | | • | | | | | | |
| Large-Rooted Chicory | | | | . \$0 | 05 | \$0 10 | \$1 00 | , |


CELERY.

CELERI. Apio. Bellerie.

CULTURE.—Sow the seed in a light, rich, dry border as early as the ground can be worked, in drills eight or ten inches apart and cover the seeds about a quarter of an inch deep, rolling or treading them in if the ground be dry. The beds should be kept well weeded, and an occasional soaking with water in dry weather will do the plant good. The plants may be set in a single row in a narrow trench, or the trench may be made into a bed wide enough to hold two, three or four rows, and in this case the plants are in a compact form to be covered for the winter where they grow. The bed should be made very rich with thoroughly decomposed manure. The plants will need to be earthed up two or three times. I ounce will produce 2000 plants.



| 6. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. |
|---|
| Boston Market. The dwarf, branching variety grown so extensively about Boston. It |
| is unequalled by any other sort, being solid, crisp and of excellent flavor. Its compact, dwarf habit allows closer planting, and requires less earthing-up than |
| the taller sorts |
| Henderson's White Plume. The stalk and portions of the inner leaves and heart are naturally white; needs very little earthing-up; crisp, solid and of a pleasing nutty flavor, while its white, feather-like foliage places it ahead of all others as a |
| table ornament |
| Golden Self-Blanching. A new dwarf variety of great merit; of quick growth, and very |
| early; beautiful golden yellow; solid and of excellent flavor 40 4 50 |
| Half Dwarf. A good market garden sort |
| Giant White Solid. The best of the large-growing sorts |
| Celery Seed for Flavoring. Used in flavoring pickles, soups, etc |
| Celeriac, or Turnip-Rooted. The round solid roots of this variety are used for salads . 05 20 1 50 |



CARROT.

CAROTTE.

Zanahoria. Mahre.

CULTURE. — Sow for early forcing, as early as the ground can be worked; or, for late crop, until latter part of July. For main crop, sow from the middle of May to the first of July. Thin out early crop to five inches in row, main crop six to seven inches; the rows ten inches apart for early crop, fourteen for main crop. Hoe often and deeply between the rows. Soil, light, sandy loam, richly manured and deeply dug. Sow at the rate of two pounds to the acre.

| Extra Early French Forcing. Tender and fine; best for early and late crops and | PKT. | oz. | LB. |
|---|---------|--------|---------------|
| frames | \$0 O5. | \$o 10 | \$1 25 |
| Early Scarlet Horn. Very thick roots | . 05 | 10 | I 25 |
| Guerande, or Oxheart. A most excellent sort | 05 | 10 | I 25 |
| Improved Half-Long Danvers. Thick; of good quality, and exceedingly productive, | 05 | , 10 | 1 25 |
| Improved Long Orange. Best for stock feeding | 05 | 10 | 1 00 |
| Altringham. Long scarlet; productive | 05 | .10 | 75 |
| Large White Belgian. Very productive; used largely for stock | 05 | 10 | 75 |

CORN, SWEET OR SUGAR.

Mais. Maiz. Mais.


CULTURE.— Plant in hills three feet apart each way, and five or six kernels in a hill. Hoe often and draw soil up to the stems; break-off side shoots. Make the ground rich with well-rotted manure. Sown in drills a greater yield from a given surface will be obtained. By sowing successive lots and properly selected varieties, the supply of Sweet Corn can be kept up until hard frosts kill the plants.

| Clark's Nonesuch Sweet Corn. A new variety of medium late corn; very sweet and | QT, | PK. | BUS.H. |
|--|----------------|--------|---------------|
| juicy. Ears are good size, the cob a delicate pink color; is a strong grower and big | | | |
| yielder. Everyone should try this | \$0 2 5 | \$1 25 | \$4 00 |

CORN.

SWEET CORN.

Burbank's Early Maine, New. As early as the Cory, large and pure white. The shrewd market gardener will appreciate this new variety, which comes from the State whose name it bears, and whose latitude is an indication of earliness in all vegetables. It has a oure white cob with a rich cream-white kernel, rich and juicy. Shows none of the red shade like the Cory when cooked for the table. A fine ear, of good size, stalk medium, and on good soil often bears two ears. Experienced gardeners who have grown it for the past five years find it the largest white, first early sweet corn they have grown .







\$4 00

\$1 25

EXCELSIOR.

| | QT. | PK. | BUS. |
|--|-----|--------|--------|
| Minnesota. Nearly as early as Marblehead; of dwarf growth | 20 | \$1 25 | \$4 00 |
| Perry's Hybrid. Very early and of large size; most valuable for market | 25 | 1 25 | 4 00 |
| Early Crosby. Matures after the Minnesota; fair sized ears of good quality | 25 | I 50 | 4 00 |
| Squantum or Potter's Excelsior. Good size, and a most excellent table sort | 25 | I 25 | 4 00 |
| Moore's Concord. Of strong growth; ears large and well filled | 25 | I 25 | 4 00 |
| Hickox Improved. Handsome ears, very white and of rich flavor | 25 | I 25 | 4 00 |
| Stowell's Evergreen. Remains green a long time, and is highly prized | 20 | I 25 | 4 00 |
| Black Mexican. Very sweet, and of superior flavor; grains black | 25 | 1 25 | 4 00 |
| Late Mammoth. Rank in growth; large ears, rich and sweet; of especially excellent quality, | 25 | I 25 | 4 00 |
| Egyptian. Large and of superior quality | 25 | I 25 | 4 00 |
| Rhode Island Bearfoot. Good size; a very desirable variety | 25 | I 25 | 4 00 |
| Emerson's First Crop. (New). The earliest of all sugar corn; ears good size, cob and | -3 | 3 | 4 00 |
| grain pure white, quality rich and sugary. Try it. | 25 | I 25 | 4 00 |
| Extra Early White Cory. An excellent early variety; as early as the Red Cory. Grain | | | |
| and cob pure white | 25 | I 25 | 4 50 |
| EARS OF ANY OF THE ABOVE, - PER EAR, 5 CENTS. | | | |

CORN.

| FIELD CORN. | | | |
|---|--------|--------|--------|
| Improved Early Canada. Twelve-rowed; early, very handsome yellow ears; never fails | QT. | PK. | BUS, |
| to ripen before frost | 0 15 | \$0 50 | \$2 00 |
| Angel-of-Midnight. Extra early; eight-rowed, yellow field corn; ears, ten to fourteen | | | |
| inches long; remarkably productive | 15 | 50 | 2 00 |
| Longfellow's Yellow. Beautiful long ears with small cob | 15 | 50 | 2 00 |
| Early Sanford. White flint, used largely for ensilage purposes, the best of its kind known, | 15 | 50 | I 75 |
| Improved Learning (Dent). Ears of good size, cob red and small, with a deep large grain of bright yellow. It is an early variety, ripening in ninety to one hundred days from time of planting; a strong grower, and producing well on light or heavy land where other varities of Yellow Dent would not thrive | 15 | 50 | 1 75 |
| Golden Beauty (Dent). The largest grain Yellow Dent Corn in cultivation; the ears are large, of perfect shape, and in every respect present as perfect a type as could be desired; has from ten to fourteen rows, and fills out well to the end of the cob; grows eight to ten feet high, matures medium early. Sample will be sent for inspection on receipt of strongs for postage. | 15 | ro. | |
| inspection on receipt of stamps for postage | 15 | 50 | 1 75 |
| Ears of perfect shape and very handsome; is a strong grower, and yields heavy . | 15 | 75 | I 75 |
| Mastodon Early Dent Descriptive of this Corn we quote the following: "I claim that it | ic the | larges | -arrad |

don Early Dent. Descriptive of this Corn we quote the following: "I claim that it is the largest-eared early Dent Corn ever seen in this section of the country, and the largest grain of any early Dent Corn. It grows strong, rank, quick, and makes the finest appearing shelled corn of them all, being purely Dent, of two shades of white and yellow. To convince your customers that it will ripen with them, just say that it was grown within eight miles of Lake Erie." Per bush., \$2.00.

CORN.

| | POP CORN. | | | |
|-------------------------------|--|---|----------|--------|
| Ouean's Golden Pon Corn Or | QT. | PK. | BUS. | |
| | ne of the best and most prolific varieties grown; its arance, when popped, are very noticeable. Pops perfectly | | | |
| white | | . \$0 25 | \$1 25 | \$4 00 |
| Common White | | 15 | I 25 | 4 00 |
| White Rice | | , 15 | I 25 | 4 00 |
| | | | 3 | 4 00 |
| | | | | |
| | ENSILAGINO LONG AN EXPE CORN. ENSILAGE AND FODDER EMERSON'S MAMMOTH ENSILAGE. tall-growing, late variety, with numer leaves; produces immense crops, best for ensilage. It is the result of careful selection. Owing to the control of the control of the stock generally offer that we have felt justified in bestowing the natural offer it with the full assurance that it no equal in any climate where corn can be grown grows ten to fourteen feet in height; small stopping the stock of the stock generally offer that we have felt justified in bestowing the natural offer it with the full assurance that it no equal in any climate where corn can be grown grows ten to fourteen feet in height; small stopping the stopping that the fourteen feet in height; small stopping the stopping that the stopping that the full assurance that it no equal to fourteen feet in height; small stopping the stopping that the stopping | A rous the of a care to is red, ame ten has wn; | ME | |
| | and very leafy | ısly, | 60 \$2 C | |
| | rowing, late sort; used for fodder and ensilage | | _ | o 1 75 |
| Red Cob Ensilage Corn. Has mo | ade a great reputation for itself, both for a fodder and | l ensila | | 2 00 |
| Evergreen Sweet Fodder. This | variety surpasses all others for cutting green and feeding | g to stoc | k. | |

It is the variety most relished by stock, and is tender and full of nutriment

75 2 50


CORN SALAD, OR FETTICUS.

| Round-Leaved | • | • | ٠ | • | | • | ٠ | • | • | • | • | • | ٠ | • | \$ 0 | 05 | \$0 I | 5 \$ | 00 18 |
|------------------------|------|-------|--------|-------|------|-------|--------|-------|-------|-------|-------|--------|-------|-------|-------------|----|-------|------|-------|
| CRESS, OR PEPPERGRASS. | | | | | | | | | | | | | | | | | | | |
| Extra Curled. | Fine | pung | ent f | lavor | | | | | | | | | | | \$ 0 | 05 | \$0 I | o \$ | 50 50 |
| Water Cress. | Hard | y aqu | atic p | erenn | ial, | growi | ing re | adily | on th | e bai | nks o | fstrea | ıms o | r pon | ds, | 05 | 4 | 0 | 4 00 |

CUCUMBER.

CONCOMBRE. Cohombro. Ourke

CULTURE.—Cucumbers succeed best in warm, rich, sandy loam. They should not be planted in the open air antil there is a prospect of settled warm weather, in the vicinity of Boston about the middle of May. Plant in hills about four feet apart each way. The hills should be previously prepared by mixing thoroughly with the soil of each a shovelful of well-rotted manure. When all danger from insects is past, thin out the plants, leaving three or four of the strongest to each hill. The fruit should be gathered when large enough, whether required for use or not, as, if left to ripen on the vines, it destroys their productiveness. I ounce for 50 hills; 2 to 3 pounds in hills for an acre.



| | | | | PKT | . oz. | LB. |
|---|----|----|----|---------|----------|----------------|
| Early Russian. Very early; short; is a valuable variety for small pickles | | | | . \$o c | 5 \$0 10 | \$ 0 65 |
| Early Frame. Medium size; excellent for pickles when young | | | | | 5 10 | 65 |
| Early Short Green. Good for pickling; productive | • | • | | | 5 10 | 65 |
| Early Green Cluster. Fruit small and in clusters; very prolific . | | • | a | | 5 10 | 65 |
| Improved White-Spined. Well flavored and of medium size | | | | | 5 10 | 65 |
| Long Green. Long and crisp; a popular and reliable variety for pickles | | | | , (| 5 10 | 65 |
| Long Green Turkey. Fruit very long and slim | , | | | | 5 10 | 65 |
| Giant Pera. Very long, and one of the best for table use | ٠ | | | | 5 10 | 65 |
| Green Prolific. One of the best for pickling; dark green; very productive | rm | | | | | |
| small size | | | | | 5 10 | 65 |
| Nichols Medium Green. Most symmetrical, and a very fine table sort | | | | . (| 5 10 | 65 |
| Boston Pickling. A favorite pickling sort, of fine quality | ٠ | | | . (| 5 10 | 65 |
| Small Gherkin. Very small, burr; used for pickles | | | | , (| 5 20 | 1 50 |
| Arlington White Spine. A selection from the White Spine, being more end. The young fruits are unusually crisp and tender, and are o color, so that the variety is considered by many to be the best for | en | 10 | 65 | | | |

DANDELION.

Pissenlit. Amargon. Bardebium.

CULTURE. — The Dandelion is a hardy, perennial plant, and one of the most desirable early spring salads. Sow in early spring, in drills half an inch deep and eighteen inches apart: thin out the plants to twelve inches. Keep clear of weeds during the summer and the ensuing spring the leaves will be fit to cut. They are best, however, when blanched, which makes them tender and destroys to some extent their bitter taste without in any way impairing the qualities which make them desirable as greens. The blanching may be done by placing a couple of boards over the rows, thus: A. This excludes the light and and improves the greens, rendering them far superior to those growing wild in the grass without cultivation, which are almost sure to be bitter, and are often unsightly and tough. 1 oz., 50 feet of drill.

| 50 feet of drill. | | | | | | | | | | | | | |
|---|------------------|-----------------------|--|--|--|--|--|--|--|--|--|--|--|
| Improved Thick-Leaved | PKT. | oz, LB. | | | | | | | | | | | |
| • | . \$0 o 5 | | | | | | | | | | | | |
| American Improved | , 05 | 50 5 00 | | | | | | | | | | | |
| EGG-PLANT. | | | | | | | | | | | | | |
| Long Purple. Of distinct shape and fine quality for the table | \$0 0 5 | \$0 30 \$3 00 | | | | | | | | | | | |
| Improved New York Purple. The best; large and of fine quality | . 05 | 40 4 00 | | | | | | | | | | | |
| Black Pekin. Fruit blackish purple; dark foliage | . 05 | 40 4 00 | | | | | | | | | | | |
| parper) and the second | | 1. 1. | | | | | | | | | | | |
| ENDIVE. | | | | | | | | | | | | | |
| Green Curled. Very hardy; leaves dark green, tender and crisp | , \$0 O5 | \$0 25 \$ 2 00 | | | | | | | | | | | |
| White Curled. Leaves pale green; should be used when young | . 05 | 25 2 00 | | | | | | | | | | | |
| Broad-Leaved Batavian. Chiefly used in soups and stews; requires to be tied up for | | | | | | | | | | | | | |
| blanching | 05 | 20 2 00 | | | | | | | | | | | |
| KOHLRABI. | | | | | | | | | | | | | |
| Early White Vienna. Flesh white and tender; the best market sort; excellent for table | : | | | | | | | | | | | | |
| | | \$0 25 \$2 50 | | | | | | | | | | | |
| | . 05 | 30 3 00 | | | | | | | | | | | |
| _ | | | | | | | | | | | | | |
| LEEK. | | | | | | | | | | | | | |
| Large American Flag. A favorite market variety | \$0 05 | \$0 25 \$2 00 | | | | | | | | | | | |
| LETTUCE | | | | | | | | | | | | | |


LETTUCE.

CULTURE. — For main early crop, seed may be sown in the open ground in the middle of September, and transplanted to cold frames as soon as large enough to handle, being wintered over the same as early Cabbage. In dry, well-sheltered spots, by covering with leaves or litter late in the season, Lettuce plants may be saved over the winter without glass covering in Southern parts of the country without difficulty. The plants for setting out in spring are also sown in cold frames in March, and in hot-beds in February, and by careful covering up at night make fine plants by April. But for ordinary private use in the summer months, the simplest way is to sow it thinly in rows one foot

1 25

apart and thin out the plants so that they will stand one foot apart. This is easier than transplanting the plants and if sown every two or three weeks from middle of April to middle of August, Lettuce may be had in perfection the whole season. I oz., 100 feet of drill.

| White-Seeded Tennisball. (Forcing Stock.) Forms fine, | | | |
|---|--------|--------|--------|
| perfect heads, very crisp and | PKT. | oz. | ĻB. |
| tender | \$0.05 | \$o 10 | \$I 25 |
| Black - Seeded Tennisball. | | | |
| One of the best for open-air | | | |
| culture; crisp and tender . | 05 | 10 | 1 25 |
| Boston Fine Curled. Very | | | |



PRIZE-HEAD LETTUCE.


| LETTUCE. (CONTINUED.) PKT. OZ. L |
|--|
| Hanson. Heads large and solid; tender; stands summer heat well \$0 05 \$0 10 \$1 2 |
| All-the-Year-Round. A very hardy compact cabbage-lettuce with close heads 05 10 12 |
| Early Curled Simpson. Heads large; very tender; excellent for first crop 05 10 12 |
| White Summer Cabbage. Large; unusually tender, and keeps well 05 10 12 |
| Early Curled Silesia. Early, large leaves |
| Early Prize Head. Early, hardy and of fine flavor |
| Tomhannock. Handsome, and one of the best for the table |
| Defiance. Large heads; solid and crisp; endures summer heat well. We also have to offer the following: Deacon, Big Boston, Denver Market, Belmont Forcing, |
| New York Market |
| MARTYNIA. |

MELON, MUSK.

Martynia Proboscidea. The green seed pods make excellent pickles

Melon Muscatel. MELON MUSCADE. Cantalupen.

CULTURE. - Select a light, sandy, rich soil, and after all danger of frosts is over and the ground has become warm and dry, plant in hills four to six feet apart each way, six to twelve seeds in a hill. When up, and all danger of insects has passed, pull out all but three plants. Cultivate until the vines cover the ground, and pinch the ends of the growing shoots to induce early fruiting. Ashes, lime, or even dry road-dust is excellent to sift over the young plants when the dew is on, to prevent the attacks of insects. A few hills for early use may be had by sowing in hotbeds on pieces of sod or in pots. The seed may also be started out of doors under hand-frames or glasses. It is quite important that proper soil be selected for growing Musk Melons, as on heavy soil the quality will be poor. I oz. to 75 hills, 2 lbs. to an acre.



MILLER'S CREAM.

| | Osage. Green fleshed; very sweet; early | PKT. | oz. | LB. |
|--|--|------|------|------------|
| | and prolific; one of the best | 05 | 10 | 60 |
| | The Surprise. Early; oblong, with rich | | | |
| | orange flesh of good quality | 05 | 10 | 60 |
| | Bird's Cantaloupe. Productive and very | | | |
| | large | 05 | 10 | 60 |
| | White Japan. Early, with light green flesh and white skin | 05 | 10 | 60 |
| | Jenny Lind. Small, but very early and of | | | |
| | good quality; green flesh | 05 | 10 | 6 o |
| | Nutmeg. Named from its shape; green flesh, | | | |
| | sweet; good for main crop | 05 | 10 | 60 |
| | Hackensack. Large, round and of good | | | |
| | quality; a popular variety | 05 | 10 | 60 |
| | Bay View. Very prolific and of great size; | | | |
| | oblong; green flesh | 05 | 10 | 60 |
| | Skillman's Netted. Very early; oval in shape; flesh deep green, sweet and delicious, | 0.5 | 10 | 60 |
| MILLER'S CREAM. | Christina. One of the finest orange sorts; | 05 | 10 | 00 |
| MILLEN'S CHEAM. | round; very sweet | 05 | 10 | 60 |
| Emerald Gem. Small, extra early; smooth | oth ribbed dark green skin and orange flesh . | 05 | 10 | 60 |
| | ed; flesh thick and good | 05 | 10 | 60 |
| Long Yellow Cantaloupe Yellow fles | | 05 | 10 | 60 |
| Banana. Cucumber shaped; highly perfum | | 05 | 10 | 60 |
| | finest flavored melon in cultivation, and the best | | | |
| melon grown for the market garden | er. The flesh is of a rich salmon color | 05 | · IO | 60 |
| Paul Rose. A fine netted melon, oval; sa | | 05 | 10 | 75 |
| | . Oval; one of the best early; green flesh; new | 05 | 10 | 75 |
| - | | | | |

MELON, WATER.

MELON D'EAU. Zandia. Wasser-Melone.


CULTURE. - Treat the same as Musk Melon, except that they should be planted 8 to 10 feet apart according to

| CULTURE.—Treat the same as Musk Melon, except that t variety. I oz. to 25 hills. | ney snound be | hranted 9 to | 101 | eet a pa | rt accor | aing to |
|--|--|--|-----------------------------------|-----------------|--------------|----------------|
| KENTUCKY | green, fl scarlet of and suga | shape, skin lesh a bea color; crisp ary flavor; a | utifu l , rich lways | PKT. | oz. | LB. |
| (WONDER | never : weight o pounds Early Mou | ıntain Sp | rerage sixty rout. | | \$0 IO | \$ 0 60 |
| | long; me Cuban Que heavy; s | kin mar ked | I a nd regu- | 05 | 10 | 60 |
| | larly; ex | cellent qua | lity . | 05 | 10 | 60 |
| Black Spanish. Large, roundish, nearly black; dark red | flesh; early | | | 05 | 10 | 60 |
| , | | | | 05 | 10 | 60 |
| Sweet Heart. Very early; one of the best | • • | • • | • | 05 | 10 | 75 |
| Kolb Gem. Large; bright red flesh of fine quality, and a g | | • • ' | • • | 05 | 10 | 60 |
| Pride of Georgia. Round in shape; large, crisp; bright r | | • • | • | 05 | IO | 60 |
| The Boss. Oblong, dark green; flesh deep scarlet and thin | | | | 05 | 10 | 60 |
| Hungarian Honey. One of the best, and earliest for north | | | • | 05 | 10 | 75 |
| Mammoth Iron-Clad. Long, very large, late; red flesh; g | good shipper | • • | • • | 05 | 10 | 60 |
| Ice Cream. Very early; red flesh | | • • | • • | 05 | 10 | 6p |
| Phinney's Early. Early and of fine quality; red flesh | | | • | 05 | 01 | 60 |
| Vick's Early. Very early; long, smooth, with bright pin Citron. Round and handsome, for preserving; red seed | k flesh; fine | flavor . | • • | • 0 5 | 10 | 75 60 |
| Must | ARD. | | | | | |
| Black. The seeds form the mustard of commerce. White London. Leaves used for salad while young; grows | s very rapidl y | • • | • • | \$0 05 05 | \$0 10 10 | \$0 25 25 |
| Mushro | оом. | | | | | |
| Mushroom Spawn, English. Best Mill rack. This quali | ity can always | be relied | upon | • | • 0 | \$O 2O |
| OKRA | A. | | | 4 | | |
| Dwarf Green. Productive and excellent | • • | • • • | | \$0 05 05 | \$0 IO | \$1 00 1 00 |

ONION.

OIGNON. Cebolla. Zwiebel.

CULTURE. - Sow in rich, sandy soil, in drills one foot apart, as soon as the ground can be worked in spring. Thin to three or four inches, using the rake and hoe frequently to keep down the weeds. 5 to 6 lbs. to the acre.




| YELLOW GLOBE DANVERS. | PKT. | oz. | LB. |
|--|-----------|---------|---------|
| Early Red Globe. Earliest of the Red Onions. Good size, mild flavor | \$0 05 | \$0 25 | \$2 00 |
| Early Large Red Wethersfield. The best for a general crop; flat in shape | 05 | 25 | 2 00 |
| Yellow Globe Danvers. An early round variety, very small neck, large yielder, and | | 9 | |
| good keeper; mild in flavor, and uniform in size | 05 | 25 | 2 50 |
| Southport White Globe. Large globe shaped; of mild flavor, and a good keeper . | 05 | 25 | 3 00 |
| White Portugal, or Silver Skin. A mild, pleasant-flavored variety, very desirable for | _ | | |
| family use; highly esteemed for pickling when young | 05 | 25 | 2 50 |
| New Queen. A silver-skinned variety, of quick growth; particularly valuable for pickles. | 05 | | 2 50 |
| Mammoth Silver King. The largest onion in cultivation. So sweet and tender is the | | | |
| flesh, that it can be eaten raw like an apple; the skin is a beautiful silvery white; | | | |
| the flesh is snow white | 05 | 30 | 2 50 |
| The Prize-taker. The American grown Prize-taker Onion grows uniform in shape | | | |
| globe, with thin skin of bright straw color; it is of immense size, measuring from tw | | | |
| in circumference, while under special cultivation specimen bulbs have been raised to | weigh fro | om four | to five |
| and a half pounds each. It ripens up hard and fine, and presents the handsomest po | ssible ar | pearanc | e: the |
| flesh is pure white, fine grained, mild and delicate in flavor | | | \$2 50 |
| nom to pure wines, and Stames, and denote in the control of the co | | 3 | , 5 |

ONION SETS. \{ \begin{array}{ll} \text{Yellow Onion Sets} \\ \text{White Onion Sets} \\ \text{Potato Onion Sets} \\ \text{Potato Onion Sets} \end{array} \]

Market Price.



Petersilie.





CULTURE. -- Soak the seeds a few hours in luke-warm water, and sow early in spring and until the middle of July, in drills one foot apart. Thin out the plants to four inches. To preserve in winter, transplant to a light cellar or coldframe. I oz. to 100 feet of drill.

| Champion Mos | ss. Ar | n Engl | ish v | variety; | ve | ry | fine, | PKT. | 02. | LB. | |
|---------------|---------|---------|-------|----------|------|-----|-------|--------|---------------|--------|---|
| mossy co | arled . | | ٠ | | | ٠ | | \$0 05 | \$0 10 | \$o 65 | |
| Fern Leaved. | Very o | orname | ntal, | mossy | curl | led | sort | | | | |
| for table | decorat | ion | | | • | ٠ | ٠ | 05 | 10 | 0 65 | í |
| Plain Leaved. | Very st | rong fl | avor | | | | | 05 | 10 | 0 60 | , |

SWEET PEAS.

SWEET PEAS (Lathyrus Odoratus) have become one of the most popular of flowers; admired and cultivated not only in the largest but even the smallest garden. They are hardy and adapt themselves to all soils and climates, growing a constant bloom of fragrant flowers through the season. We give below a list of distinct and beautiful varieties.

CULTURE. — Plant early in warm, rich soil, covering two inches; a very good way is to dig a trench six inches deep by eight inches wide, and sow two rows about six inches apart, putting in about twenty-five seeds to the foot; cover two inches. When the plants are seven or eight inches high, fill in the trench; this insures the plant against drought.

| | | | | | | | | | | | | | PER | LB. |
|---|-------|-------|-------|----|---|----|-----|-----|---|----|---|---|-------|------------|
| America Bright cardinal and white striped | • | • | • | | • | • | • | • | • | • | • | • | . \$0 | 60 |
| Alice Eckford Pale salmon and white | | • | • | | | • | • | • | | | • | • | • | 60 |
| Alba Magnifica White | • | • | • | | | • | | • | • | • | | | | 60 |
| Adonis Carmen pink, lace rose, small. | • | | • | • | | • | • | • | • | • | • | | • | 60 |
| Apple Blossom Shaded pink and rose | • | • | • | | • | • | • | | • | | | • | • | 60 |
| Aurora Orange salmon and white striped | | • | • | • | • | • | • | | • | | • | • | • | 60 |
| Black Maroon and blue | • | • | • | • | • | • | • | • ' | • | • | • | • | • | 60 |
| Black Knight Deep maroon | • | • | • | | • | • | • | • | | | | • | ٠. | 60 |
| Blanche Burpee Large white | | • | • | • | • | • | • | • | | • | • | • | • | 60 |
| Blanche Ferry Pink and white | | | • | • | • | • | • | • | • | | • | • | • | 60 |
| Blushing Beauty Delicate pink . | | • | | ٠. | • | | | • | • | • | | • | • | 60 |
| Boreatton Deep maroon | | • | • | 0 | | | • | | | | | | | 6 o |
| Bride of Niagara Pink and white, double | ٠. | | | | | | | • | • | | • | | | 60 |
| Brilliant Bright cardinal | | | • | | | | | | | | | | • | 60 |
| Bronze King Coppery pink and white | | | | | | | | | | | | | | 60 |
| Butterfly White, edged and shaded blue | | | | | | | | | | | | | | 60 |
| Cardinal Bright cardinal | | | | | | | | | | | | | | 60 |
| Captain Clark White, shaded blue, pencill | .ed | | | | | | | 6 | | | | | | 60 |
| Captain of the Blues Purplish mauve, bl | ue | | | • | | | | | | | | | • | 60 |
| Captivation Wine color | | | | | | | | | | ٠. | | | | 60 |
| Celestial Pale lavender | | | | ÷ | | | | | | | | | | 60 |
| Coronet Salmon and white striped . | | | | | | | | | | | | | | 60 |
| Coquette Violet and primrose | | | | | | | | • | | | | | | 60 |
| Columbia Red, purple and white striped | | | | | | | | | | ٠, | | | | 60 |
| Countess of Shrewsbury Pinkish laven | der a | nd wł | nite | | | • | ٠ | | | | | | | 60 |
| Countess of Radnor Lavender | | | | | | | | | | | | | | 60 |
| Countess of Aberdeen Soft pink . | | | | | | | | | | | | | | 60 |
| Carmine Invincible Bright cardinal . | | | | | | | | | | | | | | 60 |
| Crown Princess of Prussia Small, buff | pink | and ' | white | | | | | | | | | | | 60 |
| Cupid White, dwarf | | | | | | | | | | | | | . т | 00 |
| Daybreak Watered red and white . | | | | | | | | | | | | | | 60 |
| Delight Pale pink and white, small . | | | | | | | | | | | | | | 60 |
| Dolly Varden Shaded purplish magenta as | | | | | | | | | | | | | | 60 |
| Dorothy Vick Small, carmine, double | | | | | | | | | | | | | | 60 |
| Dorothy Tennant Deep rosy mauve . | | | | | | | | | | | | | | 60 |
| Duchess of Edinburgh Small, crimson | | | | | | | | | | | | | | 60 |
| Duke of Clarence Bright rosy claret | | | | | | | - 0 | | | | | | | 60 |
| Emily Eckford Rose purple, suffused blue | | | | | | ٠. | | | | | | | | 60 |
| Eliza Eckford White, shaded pink . | | | | | | | | | | | | | | 60 |
| Empress of India Pink and white, small | | | | | | | | | | | | | | 60 |
| Emily Henderson White | | | | | | | | | | | | | | 60 |
| Extra Early Blanche Ferry Very early | | | | | | | | | | | | | | 60 |
| Fairy Queen White, pencilled throat . | | | | | | | 6 | | | | | | | 60 |
| Firefly Bright crimson scarlet | | | | | | | | | | | | | • | 60 |
| Gray Friar Marbled purple on white . | | | | | | | | | | | | | | 60 |
| Gaiety Purplish pink and white striped | | | | | | | | | | | | | | 60 |
| Golden Gleam Pale primrose yellow . | | | | | | | | | | | | | | 60 |
| | | | | | | | | | | | | | - | 60 |
| | | | | | | | | | 4 | | | | - | 60 |
| Torrespond at Discon Description of Many | | | | | | | | | - | | _ | | - | 60 |

SWEET PEAS-CONTINUED. PER LB. Invincible Scarlet Bright crimson . . \$0 60 Invincible Scarlet Striped Red and white striped. 60 Indigo King Maroon and indigo blue. . . . Isa Eckford Small, buff pink and white . . 65 Katherine Tracy Light rose pink Lady Penzance Bright orange pink Lady Beaconsfield Salmon and primrose . . . Lemon Queen Pale lemon blush and white . Lottie Eckford White, shaded blue and mauve . 60 Miss Hunt Pale carmine 60 Meteor Orange salmon and pink . . . Monarch Propolical Mars Bright crimson scarlet . 60 60 Monarch Purplish maroon and blue . 60, Mrs. Eckford Primrose yellow . . Mrs. Jos. Chamberlain Rose pink and white striped . Mrs. Gladstone Soft light pink Mrs. Sankey Almost pure white 65 Novelty Laced carmine pink 60 Orange Prince Light orange pink, small . . 60 Oriental Deep orange pink Ovid Light carmine laced rose Painted Lady Pink and white . Peach Blossom Salmon buff and pink . . . Pink Cupid Dwarf, pink and white . . . Primrose Pale primrose yellow . 60 Prince of Wales Bright rose pink . Princess Beatrice Rose and pale pink . 65 Princess Louise Small, pink and violet . . . 60 Princess of Wales Light blue and mauve, striped white . 65 Princess Victoria Scarlet and crimson 60 Purple Prince Purple maroon . . 60 Purple Brown Striped Dark purple and maroon striped, white 6э 60 Red Riding Hood Rose wings, undeveloped standard . 60 Rising Sun Orange rose and pink, small 65 Royal Robe Deep pink 60 60 Senator Purple, maroon and white striped Sensation Light buff, blush and white. Splendid Lilac Dull carmine and white, blue edged, small. . . Striped Celestial Pale lavender and white striped . . Stella Morse Rich cream 60 Violet Oueen Shaded pink and violet, small . 60

NEW VARIETIES.

60

60 60

60

Vesuvius Shaded crimson and violet, small . .

Wawona Heliotrope and white striped . . .

Waverly Rose claret

Lovely, Little Dorrit, Crown Jewel, Duke of Sutherland, Duke of York, Emily Lynch, Fashion, Golden Gate, Gorgeous, Lady Currie, Lady Balfour, Lottie Hutchins, Maid of Honor, Modesty, Navy Blue, Oregonia, Prima Donna, Pink Friar, Queen Victoria, Ramona, Royal Rose, Shazada. Price, \$0.75 per 1b.




PARSNIP.

P NAIS. Chirijia. Pastinake.

CULTURE. -- Scw as early in the spring as the ground can be worked, in rich soil, in drills eighteen inches apart. The ground should be well and deeply dug. Thin to six or eight inches in the rows. Hoe and cultivate often to keep down the weeds. I oz. to 200 ft. of drill, 5 lbs. to one acre.

| Maltese. The finest variety; of excellent flavor; | PKT. | oz. | LB. |
|---|--------|--------|--------|
| smooth, fine grained | \$0 05 | \$o 10 | \$0 40 |
| Student. An improved English sort; suitable for | | | |
| shallower soils | 05 | IO | 40 |
| Hollow Crown. One of the best grown for table | | | |
| or stock | 05 | 10 | 40 |
| Long Smooth White. The variety most in use; | | | |
| straight, smooth and handsome | 05 | 10 | 40 |
| | | | |



BLISS' AMERICAN WONDER PEAS.

PEAS.

Pois. Chicharos o Guisantes. Grosen.

CULTURE.—A week may be gained in earliness by sowing a quantity in moist sand placed in a box in the cellar, and planting outside when well sprouted. Light, dry soil, not ever-rich, suits the Pea. Sow as early as the ground can be worked, and again every ten days for succession up to the first of June, after which there is danger from mildew. Sow in single or double rows from four to six feet apart, according to the different heights, about an inch apart in the rows (except such sorts as we note to sow thin), and four inches deep. In this climate the Maud S. Peas, if planted from the 10th to the last of August, will produce a fair crop for fall picking, when peas will be most acceptable. Hoe often and keep the ground clean and fine. The tall sorts can be made to bear more freely by pinching in. The dwarf varieties may be grown in beds like Bush Beans, with rows about the same distance apart. The holes which are sometimes found in Peas are caused by the Pea Weevil (Bruchus pisi). This insect is a native of this country but is now found nearly all over the world. The beetles lay their eggs on the young pods, and the larvæ, as soon as hatched make their way through the pods into the nearest Peas. They do not, as is sometimes supposed, destroy the germ, for Peas will grow if they are infested, but the plant is likely to be more feeble. I qt. to 100 feet of drill, 2 or 2 bus, to the acre.

| 3 bas to the acre. | | | |
|--|-----|--------|--------|
| American Wonder. A remarkable variety of the finest quality; wonderfully productive | QT. | PK. | BUSM. |
| and of dwarf habit, scarcely exceeding 12 inches in height | 30 | \$2 00 | \$7 00 |
| Alaska. One of the very earliest blue peas; very productive. Height 2½ feet | 25 | I 75 | 6 00 |
| Rural New Yorker. Very early; uniform in ripening, and one of the best market varieties | 25 | I 50 | 5 00 |
| Maud S. A very early free podding variety; ripens evenly; pods well filled and of good | | | |
| size. The favorite market garden sort. Height 2½ feet | 25 | I 50 | 5 00 |
| Laxton's Alpha. The earliest of all the wrinkled peas; of fine quality and very prolific; | | | |
| pods large and well filled. Height 3 feet | 25 | I 50 | 6 00 |
| Improved Daniel O'Rourke. A favorite extra early variety. Height 2½ feet | 20 | I 50 | 6 00 |
| Extra Early Premium Gem. A very fine dwarf pea of the Little Gem Type, on which | | | |
| it is a great improvement. Height 14 inches | 25 | I 75 | 6 00 |
| Gradus. The largest podded first early wrinkled pea. The pods are almost as large as those | PT. | QT. | визн |
| of Telephone, and are fit to pick about two days later than Alaska. Pkt., 25 cts.; | 35 | 50 | 12 00 |

| 20 | | | |
|--|-------------------------|---------------------|---------------|
| PEAS. (CONTINUED.) | | | |
| McLean's Advancer. This variety takes the lead as a second early market pea; pods | QT. | PK. | BUSM, |
| long and uniform, maturing well together; a green wrinkled marrow. Our stock of Advancers cannot be excelled for purity. Height 2 feet | \$0 25 | \$1 75 | \$5 50 |
| Carter's Stratagem. A most remarkable variety, and will unquestionably take the lead | | | 5 |
| for medium and late use. Its pods are about double the length of other varieties in its class, besides being well filled, and with remarkably large peas, and these of | | | |
| the richest flavor. Height 2 feet | 30 | I 75 | 6 00 |
| Carter's Telephone. Introduced a few years since, and has been quite popular; a strong grower; branches considerably, and bears remarkably long pods. Height 5 feet. | 25 | I 75 | 6 00 |
| Horsford's Market Garden. A grand wrinkled variety coming in between the Little | 3 | 7.5 | |
| Gem and the Advancer. In habit of growth quite distinct from either of these. Very even in growth; pods well filled with peas of finest quality. Height 20 inches | 25 | I 75 | 5 50 |
| Bliss' Everbearing. A favorite for general use; branches considerably if not too thickly | | | |
| planted; large, well-filled pods. Height 3 feet | 25 | 1 50 | 5 00 |
| flavor excellent. Height 2½ feet | 25 | I 50 | 5 00 |
| Pride of the Market. Very large pods, green peas; sow thin. Height 2 feet | 25 30 | 1 50 1 50 | 5 00 5 50 |
| Champion of England. One of the best known of the older varieties; quality unsur- | _ | _ | |
| passed by any other pea; pods medium; peas large. Height 5 feet | 25 20 | I 50 I 00 | 5 00 3 00 |
| Black-Eyed Marrowfat. This, as well as the preceding, is extensively grown as a field | | 7 00 | _ |
| pea; hardy and productive. Height 2½ feet | 20 30 | I 00 I 50 | 3 00 4 50 |
| Tall Sugar. (Edible pods.) Can be used either shelled, or cooked in the pods, which, | | | |
| when young, are very tender and sweet | 30 | 1 50 | 4 50 |
| straggling and uneven in growth, more hardy and vigorous, bearing in profusion | | | |
| long, curved, handsome pods, well filled with peas of fine flavor. Seed light green, wrinkled. Height 12 inches | 30 | 2 00 | 7 00 |
| Nott's Excelsior. Robust and vigorous in growth. An improvement on American | | | ľΑ |
| Wonder, being more vigorous and prolific, with larger pods with more peas than either the Wonder or Premium Gem. Seed, green, wrinkled, square at the ends | | | |
| like American Wonder. Height 12 inches | 35 | 2 00 | 7 00 |
| Heroine. Fine habit of growth, luxuriant foliage, pods remarkably long and handsome, slightly curved, well-filled with large luscious peas of fine flavor. Height 2 feet. | | | |
| Seed, green and very much wrinkled | 35 | 1 75 | 6 00 |
| large peas of fine flavor. Height 2 feet | 25 | 1 75 | 6 00 |
| New Queen. One of the most desirable of the late varieties that have been recently introduced, coming in after the Heroine is gone. Of vigorous branching habit it | | | |
| needs to be sown thinly. Pods long, slightly curved, well filled with large peas of | | | |
| the most delicious flavor. Its beauty, productiveness, and fine quality combined are sure to make it exceedingly popular wherever used. Height 2½ feet; seed | | | |
| | 35 | 1 75 | 6 00 |
| Pepper. | | | |
| PIMENT. Pimiento. Paesser. | | | |
| CULTURE. — Sow in hot-beds in March, and when the soil has become warm, set in regishteen inches in the rows; hoe frequently, and keep down all weeds. The plants may also | ws two | teet ap varded | in small |
| pots. I oz. will produce 1000 plants. | | | |
| Squash. The best pickling Pepper; tomato-shaped; medium size; thick skin | РКТ. , \$0 О5 | 0Z. \$0.25 | LB. \$2 50 |
| Bell, or Bull Nose. Nearly four inches long and three in diameter; very fine | . 05 | 25 | 2 50 |
| Sweet Mountain, or Mammoth. Similar to the Bell, but larger Long Red Cayenne. Long, slender and very pungent | . 05 | 25 30 | 2 50 2 50 |
| Red Chili The hest for Pepper-sauce: small narrow pods not over two inches in length | . 05 | 30 | 2 50 |
| Golden Dawn. Color bright golden-yellow; entirely free from fiery flavor; productive Red Cherry. Small, round, smooth, glossy, scarlet fruit | . 05 | 30 30 | |
| _ | 5 | | |
| Pumpkin. | | | |
| POTIRON. Calabaza. Grose Aurbis. | | | |
| CULTURE May be planted middle of spring, among the Indian Corn or in the field or | garden, | in hills ras Mel | eight or |
| ten feet apart each way, four seeds in a hill. In other respects are cultivated in the same Cucumbers. Avoid planting them near other vines. I qt. for 300 hills. | | | |
| | PKT. | , oz. \$0.30 | |
| Connecticut Field. The common large yellow Pumpkin; excellent for stock | . 05 | 10 | 35 |
| Sugar, or Sweet. Excellent for baking and for pies | . 05 | | |
| Cheese. Very productive; grown for both stock and cooking | . 05 | 4 . | |
| | | | |

POTATOES.

Seed Potatoes. We handle nothing but pure and true stock, grown especially for us in Aroostock Co., Maine, put up in barrels containing about 2 bushels and 3 pecks. Can supply our customers with any of the following named varieties at the lowest market prices till stocks are sold.

Extra Early Varieties. Pride of the South, Early Six Weeks, Early Ohio Junior, Bliss' Triumph, Extra Early, Success, Early Harvest.


Early Varieties. Early Norther, New Queen, Pearl of Savoy, Polaris, Freeman, Beauty of Hebron, Early Rose, Green Mountain.

Later Varieties. Crown Jewel, Rural New Yorker No. 2, Irish Daisy, Hampden Beauty, Summit, Empire State, Carman 111, Carman I, Money Maker, White Elephant, Dakota Red, Snowflake, Clark's No. 1.

RADISH.

RADIS ET RAVE. Rabanos y Rabanitos. Radies und Bettig.

CULTURE. — Sow as soon as the ground is dry in the spring, in light, rich soil, in rows eight to twelve inches apart, every week or ten days for a succession, up to the middle of June, after which they are but little used, unless a cool northern spot can be had where the ground is shaded during part of the day. Sow also in early fall for late crops and winter use. I oz. to 100 feet of drill, 8 lbs. for one acre.



| o lost for one dore. | | | |
|--|-----------------------|----------------------|---------------|
| Long Scarlet Short Top. Very long and crisp; for frames or open ground | ркт. \$0 05 | oz. \$0 10 | ьв. \$0 75 |
| Scarlet Turnip. Very early, round, rich, scarlet, small top; one of the best; fine for | | | |
| forcing | 05 | 10 | 75 |
| French Breakfast. Pink and white; early; fine for forcing | 05 | ю | 75 |
| Winter Scarlet Chinese. Very handsome and distinct, and keeps well | 05 | 10 | 75 |
| Olive-Shaped Scarlet. Flesh bright and crisp | 05 | 10 | 75 |
| Long Black Spanish. The popular winter | | | |
| sort | 05 | 10 | 75 |
| Round Black Spanish. Fine for winter . | 05 | 10 | 75 |
| California White Mammoth. A very large | | • | • |
| white winter variety | 05 | 15 | 75 |
| Large White Summer. Of large size and | | | |
| roundish form | 05 | 10 | 75 |
| Yellow Summer. Dull yellow; fine flesh . | 05 | 10 | 75 |
| Scarlet-Turnip White Tipped. Very early | | | |
| for frames or out-doors | .05 | 10 | 75 |
| | | | |

RHUBARB.


SALSIFY OR VEGETABLE OYSTER.

SALSIFIS. Ostion Vegetal. Raserwurzel.

CULTURE.— Sow as early as the ground can be worked in the spring, in drills twelve inches apart, one inch deep, and thin out to six inches in the row. Keep them free from weeds. Cultivate the same as for Carrots and Parsnips. A part of the crop may be left in the ground till spring, when it will be found fresh and plump. The roots are cut into pieces half an inch long, boiled until tender and then served with drawn butter, in which way it is a delicious vegetable. They are also mashed and baked like Parsnips and have a sweet, agreeable flavor. Mashed and fried the flavor is much like that of the oyster. I oz. to 60 feet Drill.

| White French | ркт. . \$0 05 . Об | oz. \$0 25 | LB . \$1 75 |
|--|--------------------------|---------------|-----------------------|
| taran da antara da a | . 0, | 30 | 2 00 |
| SPINACH. | | | |
| Round Thick Leaf. The best for early spring or fall sowing; leaves large and thick. | | \$0 10 | \$o 30 |
| Long Standing. Unsurpassed in quality | . 05 | 10 | 30 |
| Savoy-Leaved. Thick, succulent leaves, wrinkled; very productive and hardy. | . 05 | 10 | 30 |
| Prickly Seeded. Very hardy; leaves arrow-shaped | . 05 | 10 | 30 |
| New Zealand. Produces an abundant supply of excellent greens all summer | . 05 | 15 | 75 |
| Curled-Leaved Savoy or Bloomsdale. Large tender leaves; fine. | . 05 | 10 | 40 |
| Victoria. A new sort which is quick to mature, and forms a very large, exceedingly this | ick | | - |
| leaf, which is somewhat savoved in the center. It remains in condition for the | 100 | | |
| much longer than most kinds, and cannot fail to please, whether grown for t | he | | |
| market or in the private garden | . 05 | 10 | 30 |

Sunflower Seeds will make hens lay. Will keep their plumage glossy, if fed three or four times a week with other food. . . .



One pint of Sunflower Seed, if fed to your horses once a day, will keep their coats soft and sleek. .' ." ." ."


MAMMOTH SUNFLOWER.

Mammoth Russian Sunflower. The giant among sunflowers .

SQUASH.

Calabaza. COURGE. Speise Rurbis.

CULTURE. - Sow in hills in the same manner and at the same time as Cucumbers and Melons; the bush varieties three to four feet apart and the running kinds from six to nine feet apart. Bush sorts, I oz. to 50 hills. Bush varieties, 5 to 6 lbs., and running varieties, 3 to 4 lbs., in hills, for an acre.





| IMPROVED HOBBARD. |
|-------------------|
| STBLEY SOVAN |
| |
| |
| |

of the finest winter varieties

Early Golden Bush. Fine for summer use; not as early as the White Bush \$0 75 Early White Scallop Bush. A good early shipping variety 10 05 75 Early Summer Crookneck. Yellow fruit; distinct and the best for summer 05 IO 75 Early Orange Marrow. An improved Boston Marrow. Very early, and of delicate flavor; suitable either for fall or winter 05 10 75 Boston Marrow. Oval, bright orange; flesh yellow and fine 10 75 Hubbard. Well known and liked for late use; of superior quality . 05 10 1 25 Pike's Peak. (The Sibley.) An entirely distinct sort, with thick bright orange flesh; one 05 TO 75 Warted Hubbard. A Hubbard Squash, large, blackish green, hard as wood, with warty knobs all over it; satisfies even the inexperienced observer that it is the best of its class, rich in quality, a keeper and thick-fleshed — such as will sell at sight . 1 25

SQUASH. (CONTINUED.)

| | | | | | | | | oz. \$0 10 | \$0 75 | |
|--------|--------|---------------------|-------------------------------|------------------------|-----------------------------------|-----------------------------|-----------------------------|----------------------|--------|--|
| | | | | | | | | | | |
| | | | | | | | | Į, | 75. | |
| | | | | | | | 05 | 10 | I 25 | |
| | | | | | | | 05 | IO | 75 | |
| l eith | er for | fall | or w | inter | | | 05 | 10 | 75. | |
| | | | | | | 4. | 05 | 10 | 75 | |
| sort | | | | | | | 05 | 10 | 7.5. | |
| n ski | n | | | | | 4 | 05 | 10 | 7.5 | |
| | | | | | | | 05 | 10 | 7.5. | |
| yello | w ski | n an | d fle | sh | | | 05 | 15 | I 25, | |
| | d eith | d either for sort . | d either for fall sort n skin | d either for fall or w | d either for fall or winter sort | d either for fall or winter | d either for fall or winter | o 5 | | |


TOBACCO.

Connecticut Seed Leaf. The variety generally grown in New England \$0 05 \$0 30 \$3 00

TOMATO.

TOMATE. Tomate. Liebesapfel.

Culture.—Sow in a hot-bed, greenhouse, or window in a sitting-room, where night temperature is not less than 60 degrees, about the first week in March, in drills five inches apart and half an inch deep. When the plants are about two inches high they should be set out in boxes three inches deep, four or five inches apart, in same temperature, or removed into small pots, allowing a single plant to a pot. They are sometimes transplanted a second time into larger pots, by which process the plants are rendered more sturdy and branching. About the middle of May, in this latitude, the plants may be set in the open ground. They are planted for early crops on light, sandy soil, at a distance of three feet apart in hills in which a good shovelful of rotted manure has been mixed. On heavy soils which are not suited for an early crop, they should be planted four feet apart. I oz. for I,500 plants; \(\frac{1}{4} \) lb. (to transplant) for an acre.



| New Dwarf Champion. In form, color and size the Tomato resembles the Acme—very smooth and symmetrical in shape, ripening close around the stem. It is very pro- | PKT. | ez. | LB, |
|---|-------|--------|--------|
| ductive, many stalks having the fruit crowded closely together on the branches . \$ | 50 O5 | \$0 30 | \$2 50 |
| Livingston's Beauty . Ripens quite evenly; solid, fine flavored and very smooth | 05 | 30 | 2 50 |
| Livingston's Favorite. A large, smooth, perfect-shaped Tomato, of a dark red color; does | | | 2 |
| not rot or crack, and ripens evenly; very prolific; good flavor; flesh solid, and is | | | |
| very early | 05 | 25 | 2 50 |
| Livingston's Perfection. As early as Canada Victor; of a blood-red color; perfectly | | | |
| smooth; ripens uniformly, and bears abundantly until frost comes. For canning pur- | | | • |
| poses it is the best | 05 | . 25 | 2 50 |
| Acme. One of the earliest and handsomest varieties ever introduced. The fruit is of | | | |
| medium size, perfectly smooth and regular in shape, very solid, and a great bearer. | 05 | 25 | 2 50 |
| Trophy. A standard late sort | 05 | 25 | 2 50 |
| Paragon. Early and a good bearer. The color is a bright, glossy crimson | 05 | 25 | 2 50 |
| The Conquerer. A new variety, and one of the earliest; fruit of good size, very uniform in | | | |
| size and shape | 05 | 25 | 2 50 |
| Ponderosa. The largest variety in cultivation | 10 | 40 | 3 5C |


TOMATO. (CONTINUED.)

| | | | PKT. | oz. | LB. |
|--|----------|------|-----------------------|---------------|--------|
| Canada Victor. A new early variety, originating in Canada; fruit heavy, | full-mea | ted, | 4 | 4 | |
| and of rich flavor | | | <i></i> ⊅0 0 5 | ∌ 0 25 | \$2 50 |
| General Grant. Size three to four inches in diameter; form round, slightly flatt | ened; c | olor | | | |
| crimson, flesh solid, skin smooth, very productive | | | | 25 | 2 50 |
| Yellow Plum. Round and regular; bright yellow; used for pickles | | | 05 | 35 | 3 50 |
| Red Cherry. Fruit about an inch in diameter, in bunches; used in pickles | | | 05 | 30 | 3 00 |
| Pear-Shaped. Fruit of peculiar shape; handsome and solid | | | 05 | 35 | 3 50 |
| Strawberry (Winter Cherry or Husk Tomato). Small fruit; used for preserves | | | 05 | 35 | 3 50 |
| | | | | | |

TURNIP.

NAVET. Nabo. Ruben.

CULTURE.—For early Turnips sow as soon as ground opens in spring. Imp. American and Laing's Early Swede should be sown from any time in July to first of August; but the other kinds, for winter use may be sown from middle of July to end of August. Turnips are generally sown broadcast, but much larger crops are obtained (particularly of the Ruta-Bagas) by cultivating in drills eighteen inches apart, and thinning to six inches in the drill. Sow one pound to the acre.





| | | | | | | | | PKI. | 02. | FD. |
|--|------|-------|------|-------|------|---|-----|--------|--------|--------|
| Purple-Top Munich. One of the earliest varieties | | | | | | | . ; | \$0 05 | \$0 IO | \$0 75 |
| White Figg. Oval: handsome and sweet | | | | • | | | | 05 | 10 | 00 |
| Early Dutch. Rather flat: good white early sort | | | | | | | | 05 | 10 | 60 |
| Long White, or Cow Horn. Early and good; shap | ed I | ike a | Nant | es Ca | rrot | | | 05 | 10 | 60 |
| Red-Top Strap-Leaf. The popular flat fall sort. | | | | | | | | 05 | 10 | 60 |
| Yellow Aberdeen. Hardy, productive and keeps we | ell | | | | | | | 05 | 10 | 60 |
| Golden Ball. Very handsome; keeps fairly well. | ٠, | | | | | * | | 05 | 10 | 60 |
| White Norfolk. Globular; late, solid | | | | | | | | 05 | 10 | 60 |
| White Strap-Leaf Flat. A good early white flat sor | rt | | | | | | | | 10 | . 60 |
| White Flat or Globe. Large English white variety | | | | | | | | 05 | 10 | 60 |
| White French. Very productive and a fine keeper | | | | | | | | 05 | 10 | 60 |
| Yellow Stone or Globe. Medium size, flesh yellow | V | | - | | ٠. | | | 05 | 10 | 60 |
| German Sweet. Flesh white; excellent flavor . | | | | | | | | 05 | 10 | 60 |
| White Rock. Very productive; good keeper . | | | | | | | | 05 | 10 | 60 |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | | | |

RUTA-BAGA, OR SWEDISH TURNIP.


| Laing's Early Swede. Yellow flesh; globe shape; excellent flavor | ₽КТ. \$0 05 | 0Z. \$0 IO | LB. \$0 60 |
|--|-----------------------|---------------|----------------------|
| and a very heavy cropper; one of the best | 05 | IO | 60 |
| Carter's Imperial Swede. An imported variety; enormously productive and of excellent quality; yellow flesh | 05 | 10 | 60 |
| Improved American Purple Top. Yellow flesh; good flavor; suitable for table or stock | 05 | 10 | 60 |
| Henn Cerns | _ | | |

HERB SEEDS.

| Anise . | | | | | | | | , | | | | | | | . \$ | PKT. | 02. \$0 15 |
|------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|------|----------|----------------------|
| Borage | | | | | | | | | | | ۰ | | 0 | | • | 05 | 15 |
| Basil . | | 0 | | | | 0 | | | | | Φ | | 4 | | 0 | 05 | 20 |
| Caraway | | 0 | ٠ | | • | | | | | | • | | | | | 05 | 10 |
| Catnip Dill . | • | • | • | | | | | | * | | | | | | | 05 | 50 |
| Horehoun | à | • | | • | • | | | | | | | | | | | 05 05 | 40 |
| 4101choun | ·u | | - | | | , | 0 | | | • | | • | • | • | 0 | ~5 | 40 |

HERB SEEDS. (CONTINUED.)

| Lavender | | | | | | | , | | | | | | \$0.05 | \$ 0 20 |
|-----------|-------|-----|---|--|--|---|---|----|---|---|--|--|--------|----------------|
| Rue . | | | | | | | - | ., | | | | | 05 | 30 |
| Saffron | | | | | | | | , | - | • | | | 05 | 20 |
| Sage . | | | | | | | | | | | | | 05 | 20 |
| Sweet Fe | enne | 1 . | | | | | | | | | | | 05 | 10 |
| Sweet M | | | | | | | | | | | | | 05 | 25 |
| Summer | | | : | | | - | | | | | | | 05 | 20 |
| Thyme | | | | | | | | | | | | | 05 | 30 |
| Sorrel (F | rench |) | | | | | | 9 | | | | | 05 | 20. |



EMERSON'S LAWN SEED.

A Superior Mixture for Lawns, Tennis Courts, Croquet Grounds, Etc.

Weighs sixteen pounds per measured bushel. Other Lawn Mixtures do not average over fourteen pounds to the bushel. That the "Emerson" is the finest mixture of Lawn Grass Seed ever offered, the immense quantity we annually sell is the best proof we can offer. It is the best Lawn Seed for our American climate, and is composed of various grasses that grow and flourish during different months of the year, so that a rich deep green, velvety lawn is constantly maintained. It is the result of several years' careful experimenting, and as we now offer it the mixture is unequalled. The quantity required for making new lawns is four bushels per acre. For a plot 15 x 20, or 300 square feet, one quart is required.

PRICE.

Per Quart . . . \$0.25 Per Peck . . . \$1.25 Per Bushel . . . \$4.00 (If by mail add 5 cents to quart price for postage.)

We also make up special mixtures of choice Grasses, best adapted for Banks, Terraces and Golf Links, on both high and low land.

Our special mixture for

| BANKS | AND | TERR | ACES, |
|-------|-----|-------------|-------|
|-------|-----|-------------|-------|

WITCH OR KNOT CRASS.

A grass that cannot be killed by plowing, spading or harrowing, will not winter kill, but will spread and thrive on any kind of soil, filling the ground to a depth of 4 to 6 inches with a perfect network of roots. It is therefore valuable for railroad and electric road gradings, or lawn banks that are easily washed by sudden floods or heavy rains. We have a small supply, and offer same at 30 cts. per lb.

STRICTLY PURE PARIS GREEN POISON.

DIRECTIONS — For Potato Bugs, Cotton Worms, etc., IF APPLIED AS A SPRAY, use one pound of our Pure Paris Green to fifty gallons of water; one pound to one hundred gallons is frequently strong enough. If dusted on, one pound to the acre is sufficient, mixed with not more than one bushel of Land Plaster. For Spraying fruit trees use one pound to from 100 to 300 gallons of water, according to the nature of the tree.

| 1/4 | Pound I | Boxes | | | | | | • | • | @ \$c | 10 |
|-----|---------|-------|---|---|--|--|--|---|---|---------------|----|
| 1/2 | 5.4 | 66 | 0 | , | | | | | 0 | \widehat{a} | 15 |
| | 6. | | | | | | | | | | |

STRICTLY PURE POWDERED HELLEBORE.

With attractive label.

| ı I | Pound | Boxes | | | • | • | | • . | • | • | \$0 30 |
|---------------|-------|-------|--|--|---|---|---|-----|---|---|--------|
| $\frac{I}{2}$ | 6.6 | 6 6 | | | | | • | • | | • | 15 |
| 1/4 | 66 | 6.6 | | | ۰ | • | • | | • | • | 10 |

STRICTLY PURE DALMATION POWDER.

| Per Pound | • | | | | | | | | | • | | • | | \$0 40 |
|-----------|---|--|--|--|--|--|--|--|--|---|--|---|--|--------|
|-----------|---|--|--|--|--|--|--|--|--|---|--|---|--|--------|

WHALE-OIL SOAP.

Directions for use on each package.

| Pound Boxes . | ٠ | | | | | | | | • | | \$0 | 15 |
|---------------|---|-----|--------|-------|-------|--------|-------|--------|---|--|-----|----|
| | | Spe | cial p | rices | on la | rger (| quant | ities. | | | | |

GRAFTING WAX.

A superior article, made by a nurseryman of life-long experience. It invariably gives the best satisfaction whenever used. It is put up in pound, half-pound, and quarter-pound packages. Per pound, 30 cents.

GRASS SEEDS, SEED GRAINS, ETC.







TIMOTHY.

RED CLOVER.

RED TOP

The prices here given are those holding at first of March, and are subject to variation during the season. We therefore do not bind ourselves to fill orders at these prices should the market vary; but customers can depend on receiving lowest market rates at all times.

Timothy. Forty-five pounds per bushel; two grades; \$3.50, \$4.00 per bushel.

Red Top. Ten pounds per bushel; \$1.00 per bushel.

Fancy Re-Cleaned Red Top. Entirely free from chaff. Per pound, 15 cents.

Rhode Island Bent. Ten pounds per bushel; \$2.50 per bushel.

Kentucky Blue. Fourteen pounds per bushel; \$2.00 per bushel.

Orchard Grass. Fourteen pounds per bushel; \$2.50 per bushel.

Fowl Meadow. Eleven pounds per bushel; \$2.00 per bushel.

Ryegrass English. Twenty-four pounds per bushel; \$2.50 per bushel.

Ryegrass Italian. Eighteen pounds per bushel; \$2.50 per bushel.

Tall Oat Grass. Twelve pounds per bushel; \$3.00 per bushel.

Meadow Fescue. Fifteen pounds per bushel; \$3.00 per bushel.

Tall Fescue. Fifteen pounds per bushel; \$5.00 per bushel.

Hard Fescue. Fourteen pounds per bushel; \$4.00 per bushel.

Meadow Foxtail. Eight pounds per bushel; \$3.00 per bushel.

Rough Stalked Meadow. Fourteen pounds per bushel; \$4.50 per bushel.

Wood Meadow. Fourteen pounds per bushel; \$5.50-per bushel.

Crested Dog's-tail. Twenty-eight pounds per bushel; \$8,00 per bushel.

Sweet Vernal (True). Eleven pounds per bushel; \$4.50 per bushel.

CLOVERS.

Crimson Clover. 121 to 15 cents per pound.

Choice Red Clover. Three grades, 12½, 14, 15 cents per pound.

Mammoth Red Clover. 152 cents per pound.

Alsike or Swedish Clover. 20 cents per pound.

Lucerne or Alfalfa. 20 cents per pound.

White Clover. 25 to 30 cents per pound.

Spring Vetches, extensively fed in England to milch cows. Sow broadcast at the rate of two to three bushels per acre. \$3.00 per bushel.

GRASS SEED, SEED GRAINS, ETC. (CONTINUED.)


Flax for Sowing. (Linum usitatissimum.) Sow late enough in the spring to avoid frost, and early enough to secure the early rains. A fair average quantity of seed to be sown on an acre is one-half bushel, when cultivated for seed; if for the fibre a larger quantity should be sown. Cut before quite ripe, and if the weather be dry, let it lie in the swath a few hours, when it should be raked and secured from the weather; thresh early in the fall and in dry weather. Spring Rye. Distinct from the winter rye, grain of finer quality and more productive; can be successfully grown in any latitude \$1 75 White Winter Rye. An excellent variety to sow for green fodder for horses or cattle . I 25 White Russian Wheat (Beardless). Spring 2 00 Saskatchewan Wheat (Beardless). Spring 2 00 White Clawson Wheat. Winter . Barley, Montana. Two rowed . I 25 Barley, N. Y. Four rowed . I IO Welcome Oats. Very productive and weighs from forty-eight to fifty lbs. per measured bushel. The grain is very large, handsome, plump and full, with thin, white, close fitting husk. They stool heavily. Extra strong, straight straw, five to six feet in height 90 Golden Vine Field Peas . I 75 Canada Field Peas . Prussian Blue Field Peas 2 25 Scotch Green Field Peas 2 50 BIRD SEEDS. BUSH. Canary Seed, Sicily. Carefully selected; the best qual-. . . \$0 15 ity, recleaned 3 00 Hemp, Russian. Heavy seed; first quality, recleaned Rape, German. Small-seeded variety, imported seed; extra quality 15 3 00 Rough Rice, or Paddy 15 3 00 Mixed Bird Seed . . 15 3 00 10 Bird Gravel . per lb. Cuttle-Fish Bone 35 NEW JAPANESE BUCKWHEAT. The Japanese Buckwheat is entirely distinct from all other varieties; the ker-

nels are at least double the size of those of any other variety, and of a shape peculiar and distinct from all others. The straw is heavier, branches more, and does not need to be sown as thickly as other kinds. The flour made from it is equal in quality to

that of any other buckwheat. It is enormously productive, having yielded forty bushels of good seed from half per bush. \$1 50 a bushel sown. On account of its earliness it can be grown farther north than any other .

WHITE RUSSIAN OATS.

MPROVED



MILLETS.

Japanese Millet. (Crus Galli.) This grand, new Millet was imported from Japan by Professor Brooks of the Massachusetts Agricultural College. This grass has greatly surpassed Hungarian and German Millet in size and vigor of stock and yield of grain. It has enormous cropping qualities, surpassing Field Corn. The fodder is readily eaten by cattle and horses. The seed itself is equal in value to Corn meal for milk production and is excellent for poultry. The reports which we get from farmers who have used this the past season point to a large use of this seed for fodder purposes. We highly recommend it to all. At market price.

AMERICAN MILLET.

Common Millet (Panicum miliaceum).—Requires a dry, light, rich soil, and grows two-and-a-half to four feet high, with a fine bulk of stalks and leaves, and is excellent for forage. For hay sow broadcast, one-half bushel per acre, from May 1st to August 1st. For grain sow in drills, one peck to the acre and not later than June 20th. Fifty pounds per bushel.

GERMAN OR GOLDEN MILLET.

German or Golden Millet. An improved variety, medium early, growing three to five feet high. The heads are closely condensed, though the spikes are very numerous. The seeds are contained in rough, bristly sheaths and are round, golden yellow and beautiful in appearance.

HUNGARIAN.

Hungarian Grass (Panicum Germanicum).—This is a species of annual millet, growing less rank, with smaller stalks, often yielding two or three tons of hay, per acre. It is very popular and valuable with those who are clearing timber lands. Sow and cultivate like millet. Forty-eight pounds per bushel.

Rape Dwarf Essex. A most profitable forage plant. We can think of no simple change which would do more to increase the profitableness of American farming than a more general use of Dwarf Essex Rape. It is an inexpensive crop, costing but little for seed or cultivation, is very hardy, can be made to take the place of some crop that has failed, and will yield an enormous crop of forage, or it can be sown after harvest as a cover

crop; and when fed off by stock, particularly sheep, will rapidly restore the fertility of exhausted soils. It is important that the true biennial Dwarf Essex Rape should be used and not the annual sort, which is not only much less valuable as a crop, but which when once introduced becomes a pernicious weed very difficult to eradicate. Oz., 10c.; lb., 30c. post-paid. Per 100 lbs., \$10.00, by freight or express at purchaser's expense.

GENERAL LIST STANDARD FLOWER SEEDS

| ACEDATUM | PKT. | CANDYTUFT. | ркт. |
|---|----------------|---|----------|
| AGERATUM. | - | | |
| Mexicanum. Lavender blue | 05 | Flesh Color. Very delicate color | 05 |
| mexicanum Album, white | 05 | Dark Crimson. Rich dark crimson | C5 |
| ALYSSUM. | | Fragrant White. Sweet scented, pure white | 05 |
| Sweet Alyssum (Maritimum). White and fragrant . Saxatile Compactum (Golden Alyssum). Golden yel- | 05 | Purple. Fine for bedding Finest Mixed. All sorts in splendid mixture | o5 |
| Benthami Compactum. White, of compact, dwarf | 05 | CANNA (Indian Shot). | |
| growth | 05 | Finest Mixed. A fine mixture | 10 |
| AMARANTHUS. | | CELOSIA (Cockscomb). | |
| Caudatus (Love Lies Bleeding). Red; flowers droop- | | Tall Mixed. Finest mixed sorts | 05 |
| Tricolor (Joseph's Coat). Variegated foliage | 05 | Dwarf Mixed. Finest mixed sorts | 05 |
| Cruentus (Prince's Feather). Scarlet, very ornamental Choice Mixed Sorts. All sorts in splendid mixture | 05 05 05 | Tall Crimson. Fine variety Dwarf Crimson. Very desirable sort | 10 |
| • | | 05115411554 | |
| ANTIRRHINUM (Snap-dragon). | | CENTAUREA. | |
| Tall Mixed. Very choice varieties | 05 | Cyanus (Bachelor's Button). Mixed colors, also called | |
| Dwarf Mixed. Finest strains mixed | 05 | Blue Bottle Moschata (Sweet Sultan). Mixed colors, good for | 05 |
| AQUILEGIA (Columbine). | | Candidissima. Silver-leaved foliage | 05 |
| Finest Mixed Single. Very fine mixed Finest Mixed Double. Best mixed sorts | 05 05 | Gymnocarpa. Very graceful silvery foliage | 10 |
| ASTER. | | CHRYSANTHEMUM. | |
| Truffaut's Pæony-Flowered Perfection. Splen- | ŀ | Frutescens (White Marguerite). Very popular, of early | |
| did mixed | 25 | Chinese. Finest mixed, large flowered sorts | 10 |
| — Collection of twelve distinct colors | 1 00 25 | Pompon. Finest mixed, flowers small, very pretty | 25 25 |
| - Collection of twelve distinct colors | 1 00 | Japanese. Finest mixed, long, loose petals | 25 |
| Imbricated Pompon. Splendid mixed | 25 | Double Mixed. Annual varieties of all colors. Single Mixed. Annual varieties in splendid mixture. | 05 05 |
| Timest Mired | I 00 I5 | Single living full full full full for the spiritual minimum i | ~5 |
| Florist's Double White. Flowers pure white Boltz's Dwarf Bouquet. Finest mixed | 15 | CINERARIA. | |
| Dwarf Pyramidal Bouquet. Finest mixed | io io | Extra Choice Mixed. Best sorts in cultivation | 50 |
| Dwarf Chrysanthemum-Flowered. Finest mixed . | 10 | Fine Mixed. Very fine mixed | 25 |
| Large Rose-Flowered. Finest mixed | 10 | 01.404/4 | |
| Victoria Needle. Finest mixed | 10 | CLARKIA. | |
| Washington. Finest mixed | 15 | Finest Mixed. Double and single varieties | 05 |
| BALSAM. | | COBÆA. | |
| Double Camellia-Flowered. Finest mixed, extra . | 10 | Scandens. A rapid-growing climber, purple flowers . | 10 |
| Boston Florists'. Pure white | . 10 | | |
| Fine Mixed | 05 | COLEUS. | |
| BALLOON VINE. | | Extra Choice Mixed. Saved from choicest varieties . | 25 |
| Pure White. Very pretty climber | 05 | CONVOLVULUS (Morning Glory). | |
| BELLIS PERENNIS (Daisy). | | Tall Mixed. Beautiful climbers, all colors | 05 |
| | | Dwarf Mixed. Fine for beds or borders | 05 |
| Double White. Purest white | 15 25 | | |
| Extra Choice Mixed. Finest mixed sorts | 10 | COSMOS. | |
| CACALIA (Tassel flower). | | Choice Mixed. Best sorts in mixture | 10 |
| Aurea. Golden yellow | 05 05 | CYPRESS VINE. | |
| Coccinction Station, very protein, v | -3 | Scarlet. Very brilliant scarlet | 05 |
| CALENDULA (Pot Marigold). | | Rose. Very delicate color | 05 |
| Prince of Orange. Deep orange, beautiful | 05 | White. Pure white, a great favorite | 05 05 |
| Meteor. Light golden yellow, very desirable | 05 | | |
| CALLIOPSIS, or COREOPSIS. | | DAHLIA. | |
| Bicolor. Yellow and brown | 05 | Choicest Mixed Doubles. All varieties | 15 |
| Coronata. Vellow with crimson spots | 05 | Extra Fine Single Mixed. Saved from splendid sorts. | 25 |
| Drummondii. Dwarf yellow | 05 05 | DEL DUNIUM (Tankatum) | |
| THOSE MIACU: MIAGUE OF AU SOULS | V3 | DELPHINIUM (Larkspur). | |
| CAMPANULA (Canterbury Beils). | | Formosum. Dark blue, white centre (Perennial) Nudicaule. Scarlet (Perennial) | 10 |
| | 10 | Double Dwarf Rocket. Fine mixed (Annual) | 05 |
| Double Mixed. Fine mixed | 05 | Double Tall Rocket. Fine mixed (Annual) | 25 |
| Prices on all Flow | er See | ds in bulk on application. | |

| | PKT. | | PKT. |
|---|----------|--|----------|
| DIANTHUS (Pink). | | LOBELIA. | |
| Caryophyllus (Carnation Pink). Saved from choicest | ì | Erinus Crystal Palace Compacta. Blue, much used | |
| double mixed | 50 | for bedding Gracilis. Blue. (For hanging baskets) | 10 |
| Caryophyllus (Carnation Pink). Very fine mixed . Double China Pink. Extra mixed | 25 05 | Fine Mixed. Choicest mixed sorts | 10 |
| Double Diadem Pink. Finest mixed | 10 | THE HILLOUI CHOICEST MIXED SOILS | |
| Heddewigi. Fine double mixed Heddewigi. Fine single mixed Plumarius. Double mixed (Hardy Garden Pink) | 05 | MARIGOLD (Tagetes). | |
| Heddewigi. Fine single mixed Plumarius Double mixed (Hardy Carden Pink) | 05 | | |
| Barbatus (Sweet William). Double mixed | 10 | African, Lemon. Double, lemon color | 05 |
| Barbatus (Sweet William). Double mixed Barbatus (Sweet William). Single mixed | 05 | African, Finest Mixed. All colors in mixture | 05 05 |
| | | African, El Dorado. Large flowers, orange to lemon, | |
| DOLICHOS (Hyacinth Bean). | | desirable | 10 |
| Lablab. Purple and white | 05 | French Tall. Finest mixed | 05 05 |
| and the same same same same same same same sam | -5 | | -5 |
| ELICHRYSUM (Everlasting Flowers). | | MATRICARIA (Feverfew). | |
| | . | | |
| Double and Single. Finest mixed | 10 | Double Pure White. Pure white, fine for bedding . | 10 |
| FOOLIOGUEL TILL (C. DC P. (L.) | | MAUDANDVA | |
| ESCHSCHOLTZIA (California Poppy). | | MAURANDYA. | |
| Californica. Yellow, orange centre | 05 | Purple, Scarlet, White and Finest Mixed. Each. | 10 |
| Carminea. Beautiful carmine | O5 | | |
| Mandarin. Deep orange, splendid | 05 | MIGNONETTE (Reseda). | |
| Extra Fine Mixed. Tall varieties, mixed | 05 | Miles' Spiral. Long spikes, a good sort | 10 |
| | ļ | Machet. Best for pot culture | 10 |
| GAILLARDIA. | | Parson's White. Large and very fragrant | 10 |
| Picta Lorenziana (New Double Gaillardia). Mixed . | 05 | Sweet Mignonette. The old favorite . per lb., \$1.50 | 05 |
| Picta Single Mixed. Very rich colors | 05 | MIRABILIS (Four o'clocks). | |
| | - 1 | | |
| GLOBE AMARANTHUS (Gomphrena). | | Choicest Mixed (Marvel of Peru) | 05 |
| White, Purple, Orange and Variegated. Each . | 05 | MYOSOTIS (Forget-me-not). | |
| White, I diple, Oldinge and Taxlegated Sacr | ~5 | | |
| GLOXINIA. | | Fine Mixed. A very choice mixture | 10 |
| | | Tatustris (17 ne 1-07get-me-not). Bide | 10 |
| Extra Choice Mixed. Choicest mixed | 50 | NIACTUDTIUM (See Treehmeleers) | |
| | | NASTURTIUM (See Tropwolum.) | |
| GODETIA. | | NEMOPHILA. | |
| Finest Mixed. Very choice mixture | 05 | Fine Mixed. Dwarf, compact, glowing annuals, all colors | 05 |
| | | | |
| GOURDS. | | PANSY. | |
| Fine Mixed Varieties. Including all desirable sorts . | 10 | Fancy Varieties. Choicest mixed very fine | 25 |
| Named Sorts. Bottle, Orange, Dipper-Shaped, etc. | | Fancy Varieties. Choicest mixed, very fine Show Varieties. A very choice mixture | 25 |
| Each | 05 | Extra Choice Mixed. Very fine strain, beautiful colors | 25 |
| CVDCCDUULA | | Fine Mixed. Fine mixed varieties | 05 |
| GYPSOPHILA. | | Grott Alacti Il good mixture | ٥, |
| Elegans. White (Annual) | 05 | PAPAVER (Poppy). | |
| Faniculata. Winte, for boulquets (1 eventual) | 05 | Oriental. Scarlet (Perennial) | 65 |
| HELIANTHUS (Sunflower). | | Umbrosum. Rich vermilion (Annual) | 05 |
| Russian Mammoth. Single, very large | | Mixed Annual Varieties. Good mixture of all sorts. | 05 |
| Globosus. Large double yellow, fine | 05 05 | DETUNIA | |
| Oscar Wilde. Single, small flowers | 05 | PETUÑIA. | |
| | | Striped and Blotched. Large flowered, mixed | 25 |
| HOLLYHOCK. | | Finest Mixed. From a collection of fine flowers Double Striped and Blotched. Very choice strain. | 10 50 |
| Chater's Prize. Finest varieties in cultivation | 25 | Double Fringed. Various colors, superb mixed | 50 |
| Choice Mixed. Choice mixed sorts | 10 | Mixed. Very good varieties | 05 |
| IPOMŒA (Convolvulus). | | DILLOY DRIVENONDU | |
| | | PHLOX DRUMMONDII. | |
| Bonna Nox (Evening Glory). Large, blue flowers Coccinea (Star Ipomæa). Scarlet, very free bloomer. | | Grandiflora Mixed. Large flowered varieties | 10 |
| Coccinea (Star Ipomaia). Scariet, very nec bloomer . | 05 | Choice Mixed. Mixed from the finest varieties | 05 |
| LATHYRUS ODORATUS (Sweet Pea). | | PORTULAÇA. | |
| Adonis. Bright rosy carmine pink | 05 | | |
| Rlack Purple. Beautiful, dark purple | 05 | Extra Double Mixed. All colors in splendid mixture. Extra Single Mixed. Very finest mixed varieties. | 05 |
| Butterfly. White ground, tinted lavender Cardinal. Shining crimson-scarlet Crown Princess of Prussia. Delicate pale flesh color | 05 | | |
| Crown Princess of Prussia Delicate role flesh color | 10 | PRIMULA. | |
| Dark Red. Fine dark red . | 05 05 | Extra Choice Mixed. Saved from exhibition flowers . | 50 |
| Imperial Blue. Blue and purplish crimson | 25 | Extra Charles Hixeur Saved nom exhibition howers . | 50 |
| Invincible Scarlet Striped. Scarlet, with white stripes | 05 | ` PYRETHRUM. | |
| Invincible Carmine. Brightest carmine, very fragrant Princess Beatrice. Beautiful flesh color, perfectly | 10 | Parthenifolium Aureum (Golden Feather). Golden | |
| charming variety | 10 | foliage, a splendid bedding plant | 10 |
| Red Striped. Should be in every collection | 10 | Hybridum. Finest mixed (Perennial) | 25 |
| Painted Lady. Pink and white | 05 05 | DIGINILO (C | |
| Vesuvins. Rose, spotted crimson and violet | 10 | RICINUS (Castor-oil Bean). | |
| Queen Victoria. New | 25 | Barboniensis. Dark green foliage | 05 |
| Violet Queen. Light violet | 15 | Sanguineus. Blood-red foliage and fruit | 05 |
| Extra Fine Mixture. Finest named sorts, mixed | 50 05 | CALVIA | |
| | | SALVIA. | |
| LANTANA. | | Coccinea Hybrida. Scarlet (Annual) | 05 |
| Finest Mixed Hybrids. Free flowering, bedding plants | 10 | Splendens. Brighest scarlet | 25 |
| , | | | |

| SALPIGLOSSIS. | WALLFLOWER. |
|--|---|
| Large Flowering Mixed. Very beautiful, of all colors 10 | Finest Mixed Branching. Double and single in variety |
| SCABIOSA (Mourning Bride). | ZINNIA. |
| Finest Double Mixed. All colors in mixture | Elegans, Double Mixed. Very finest mixed. Selegans, White, Yellow, Scarlet, and Purple. |
| STOCKS. | Dwarf Double Mixed. Dwarf variety, very desirable . 05 |
| German Ten-Weeks, White, Crimson, Canary Yellow, Rose, Violet, Carmine, and Dark Red. Each | ORNAMENTAL GRASSES. Animated Oats (Avena Sterilis) |
| THUNBERGIA. | WILD GARDEN SEEDS. |
| Finest Mixed. A very free blooming climber | The introduction of these has proved a great success. Any one who has cultivated flowers in beds is aware of the amount of labor and constant attention necessary to produce the desired effect. To those who cannot give this care, the "Wild Garden" presents a substitute which, for its unusual and varied effects, for cheapness and the small amount of labor necessary for its construction, has no rival. "Wild Garden Seeds" are a mixture of varieties of hardy flower seeds. No one who has not seen such a bed can form an idea of its possibilities, the different seasons of bloom insuring something new almost every day. Half-ounce packets, 25 cents. |
| NASTURTIUM. Dwarf. All colors mixed | RTIUMS. . \$1.00 A bed of these in the yard is very brilliant and attract- |
| | ten feet high, producing brilliant colors and of many shades, |

SUBJECT TO MARKET CHANGES. POULTRY AND PIGEON SUPPLIES.

Prices subject to change in market.

Ground Oyster Shells. 100 lb. bags, 65 cents per 100 lbs.

Cracked Poultry Bone. Per bag of 100 lbs., \$2.00.

Bone Meal for Poultry and Cattle. 100 lb. bag, \$2.00.

Ground Beef Scraps. 100 lb. bags, \$2.00.

Wheat. \$1.35 to \$1.75 per 100 lbs., according to quality.

Wheat Screenings. \$1.35 to \$1.75 per 100 lb. bag, according to quality.

Barley. 85 cts. per bu., net.

Buckwheat. 85 cts. per bu., net.

Peas. Small white Canada, \$1.50 per bu.

Sunflower. Large Russian, \$2.00 per bu.

Millet. Golden, for chickens, \$1.50 per bu. of 50 lbs.,

Hemp, Large Russian. Much fed to pigeons and fowls that are being fattened for the table, \$2.00 per bu, of 40 lbs.

Canary. Valuable for chickens and pigeons, \$3.00 per bu. of 60 lbs.

Kaffir Corn. The heads are long and perfectly erect, well filled with white grain, flecked with reddish brown spots. The average height of growth on good, strong land is five and one-half to six feet. The seed heads grow from ten to twelve inches in length, and the product of grain on good land reaches easily fifty to sixty bushels per acre. The whole stock, as well as the blades, cures into excellent fodder. The seed, which is a small, round, white grain, is one of the most perfect pigeon foods known. As a food for poultry it is equal in nutriment to the common yellow corn. Pigeon and poultry farmers should use this in place of the whole or broken corn. Price, \$2.50 per 100 lbs.

Shredded Wheat. Made of the shredded wheat biscuit. Pure and sweet. Excellent for chickens. Price, \$1.75 per 100 lbs.

Cut Clover. Our cut clover is made from pure red, white, and alsike clover hay, consequently it is unsurpassed by any offered in the market. Put up in 50 lb. bags. Price, \$2.00 per 100 lbs.

Clover Meal. Is pure clover hay ground into a meal. Put up in 50 and 100 lb. bags. Price, \$2.00 per 100 lbs.

Oyster Shells. Fine ground for chickens and pigeons. 100 lb. sacks. Price, 90 cents per 100 lbs.

Hulled Oats. 100 lb. bags, \$2.00.

Mixed Ground Feed. For chicken mash. 100 lbs., \$1.75.

Our Gem Poultry Feed is one of the best on the market. It is a mixture of white and red wheat, barley, Kaffir corn, buckwheat, in a proportion best suited for the production of eggs. Price, \$1.75 per 100 lbs.

Bug Death

Is a non-poisonous powder that effectually takes the place of Paris Green and other dangerous insect powders when used as directed.



Pat. March 16 and Nov. 9, 1897. Pat. in Canada Nov. 2, 1897.

E give this insecticide our fullest endorsement. It has now been on the market five years, and the sale is rapidly increasing. It is a non-poisonous powder, and can be applied dry just as it comes from the package, or it can be mixed with water and sprayed on vines with any of the sprayers on the market. It is sure death to the potato, squash and cucumber bugs, currant and tomato worms, and many other plant-eating pests.


It costs a little more to kill the bugs on an acre of potatoes with Bug Death than with other insecticides, but as Bug Death contains no arsenic it will not burn or blight the vine, thus giving the potato a better chance to mature, which means a more starchy potato and one less liable to rot, and the extra yield of marketable potatoes will more than pay the entire expense.

Use freely on all house plants. Perfectly safe to use and is non-poisonous.

The manufacturers have added a 100-pound package to the sizes already on the market, and we now offer same to the farmers.

| | | PRICE | LI | ST. | | |
|-------|-------|---------|----|-----|--|-------|
| 1 p | ound | package | | | | S .15 |
| 3 | ,, | ,, | | | | .35 |
| 5 | ,, | ,, | | | | .50 |
| 121/2 | ,, | ,, | | | | 1.00 |
| 100 | ,, | ,, | | | | 7.00 |
| Perfe | ction | Shaker | | | | .65 |


Circulars giving results of tests made in various places mailed free. Give Bug Death a trial and be convinced of its merits.



Our Perfection Shaker.

Price, 65 Cents.

Especially for applying Bug Death to Potato Vines.





Rubber Atomizer.

Price, 75 Cents.

For applying Bug Death to squash and cucumber vines, currant bushes and other small vines and bushes, house plants, etc.; also for applying to poultry.



Poultrymen, — Attention!

Bug Death Kills Hen Lice.

WE shall be pleased to make special prices on round lots of seeds if requested, THOS. W. EMERSON CO.

We sell for Cooking Purposes:

BEANS

New York State H. P. Medium
New York State H. P. Marrowfat
Vermont State H. P. Pea
Imported Pea
Imported Medium
California S. W. Pea
California Round Pea
Horticultural
Imported Yellow Eye H. P.
Old Fashioned Yellow Eye H. P.
Red Kidney H. P.
Black Turtle Soup
Large Lima (California Grown)

New York State H. P. Pea

PEAS...

Canada White Split Peas (Bags or Bbls.) Scotch Green Blue

At Wholesale market prices on day of purchase

WEIGHTS OF GRASS AND FIELD SEEDS AND QUANTITIES SOWN PER ACRE.

| 经 工作。1000年10日2日 | | QUANTITY SOWN | | QUANTITY SOWN |
|-------------------------|--------------------|-----------------|-----------------------------------|------------------------|
| CHECK TO LYMPE LANGE LY | WEIGHTS. | PER ACRE. | WEIGHT | S. PER ACRE. |
| Timothy | per bush., 45 lbs | 1/2 bush. | Sweet Vernal per bush., 11 | lbs. 3 bush. |
| Clover, Red | 60 lbs | 15 to 20 lbs. | | lbs 2 bush. |
| Clover, White | . " 60 lbs | 10.to : 1bs. | Tall Fescue | lbs 21/2 to 3 bush. |
| Clover, Alsike | . " 60 lbs | g to to lbs. | Tall Oat Grass | lbs. 4 bush. |
| Clover, Alfalfa | . " 60 lbs | 15 to 20 lbs. | Wood Meadow " 14 | lbs. 2 bush. |
| Red Top | per sack, 50 lbs | 21/2 to 3 bush. | Yellow Oat Grass | lbs. 4 bush. |
| Red Top | per bush., rolbs. | 21/2 to 3 bush. | Buckwheat | lbs. 1/2 to 1 bush. |
| Red Top, Fancy | | to to 15 lbs. | Barley | ibs 2 to 3 bush. |
| Bent, R. I. | per bush., to lbs. | 3 bush. | Oats | lbs. 2 to 3 bush. |
| Bent, Fancy | | 10 to 25 lbs. | Rye | lbs 11/2 bush. |
| Blue Grass | per bush., 14 lbs. | 2 to 3 bush. | Wheat 60 | lbs. 11/2 bush. |
| Fowl Meadow | " rilbs | r to 2 bush. | Flax | lbs I to 2 bush. |
| Hungarian | . " 48 lbs | 1/2 to I bush. | | lbs. |
| Lawn Seed | . " 16 lbs | 3 to 4 bush. | Hemp | lbs. |
| Millet, American | . " so lbs | 1/2 to I bush. | Rape 50 | lbs. |
| Millet, German | , " 50 lbs | 1/2 to I bush. | Beans, White | lbs I to 11/2 bush. |
| Millet, Golden | . " 50 lbs | 1/2 to I bush. | Beans, Red Kidney 60 | lbs i to 11/2 bush. |
| Orchard Grass | " 14 lbs | 2 to 3 bush. | Beans, Fancy Seed " 60 | lbs. , I to 11/2 bush. |
| Crested Dog's Tail | . " 28 lbs | i bush. | Corn, Sweet, measured bushel | . 8 to 10 quarts. |
| Hard Fescue | . " 14 lbs | 2 bush. | Corn, Ensilage per bush., 56 | lbs. 3 bush. |
| Italian Rye Grass | " 18 lbs | a bush. | Corn, Field | lbs. 8 to 12 quarts. |
| Meadow Fescue | . " 15 lbs | 21/2 to 3 bush. | | lbs 11/2 to 3 bush. |
| Meadow Foxtail | . " 8 lbs | 3 bush. | Peas, Green Field 60 | lbs 11/2 to 3 bush. |
| Perennial Rye Grass | . " 24 lbs | 2 bush. | Peas, Fancy Seed, measured bushel | . 11/2 to 3 bush. |
| Rough Stalked Meadow | . " 14 lbs | 2 bush. | | THE AND ENGLISH |

QUANTITY OF SEED REQUIRED TO SOW AN ACRE OF GROUND.

| | VANTITY | | | | TW S | QUANTITY |
|--|------------|--|-----------|--------|--|--------------|
| | ER ACRE. | | | | | PER ACRE. |
| Artichoke, 1 oz. to 500 plants | 1/2 lb. | Martynia, 1 oz. to 50 feet of drill . | 100 | W. | | . to lbs. |
| Asparagus, 1 oz. to 200 plants | 5 lbs. | Melon, Musk, 1 oz. to 100 hills . | ar line | | F 1000 | . 13/4 " |
| Beans, dwarf, a quart to 150 feet of drill | 11/4 bush. | Melon, Water, 1 oz. to 25 hills . | | . 5907 | 583 | . 11/2 " |
| Beans, pole, 2 quart to 200 hills | 1/2 " | Nasturtium, 1 02. to 50 feet of drill | . 14 | · HUS | | . 10 "· |
| | to lbs. | Okra, 1 oz. to 50 feet of drill . | 7 KS | 100 | | . 10 " |
| Beet, Mangel, 1 oz. to 150 feet of drill | 6 " | Onion Seed, I oz. to 200 feet of drill | 100 | | | . 4 to 5 " |
| Broccoli, 1 oz. to 3,000 plants | 5 OZ. | Onion Seed, for Sets | . 670 | | | . 30 to 50 " |
| | to lbs. | Onion Sets, 1 qt. to 20 feet of drill | . C. | | 15166 | . 8 bush. |
| Brussels Sprouts, r oz. to 3,000 plants | 5 OZ. | Parsnip, 1 oz. to 250 feet of drill | 17.8 | . 1970 | | . 5 lbs. |
| Cabbage, 1 oz. to 3,000 plants | 5 " | Parsley, 1 oz. to 250 feet of drill . | | | | . 8 " |
| Carrot, 1 oz. to 150 feet of drill | 21/2 lbs. | Peas, garden, 1 qt. to 150 feet of drill | . 15 | 1 | | . 11/2 bush |
| Cauliflower, 1 oz. to 3,000 plants | 5 oz. | Pepper, 1 oz. to 1,500 plants | | 37.00 | | . 4 OZ. |
| Celery, 1 oz. to 10,000 plants | 1 | Potatoes | | | | . 8 bush. |
| Collards, 1 oz. to 2,500 plants | 6 oz. | Pumpkin, 1 qt. to 300 hills | | | | . 4 qts. |
| Corn, sweet, 1 qt. to 500 hills | 8 gts. | Radish, 1 oz. to 150 feet of drill . | | 133 | | . 8 lbs. |
| Cress, 1 oz. to 150 feet of drill | 8 lbs. | Rye | • | | * F (3) | . 11/2 bush |
| Cucumber, 1 oz. to 80 hills | 11/4 " | Salsify, r oz. to 60 feet of drill | . 51 | | | . 8 lbs. |
| Egg-Plant, 1 oz. to 2,000 plants | 8 oz. | Spinach, 1 oz. to 150 feet of drill . | Section 1 | S 125 | . 15 | . 10 |
| Endive, 1 oz. to 300 feet of drill | 3 lbs. | Summer Savory, 1 oz. to 500 feet of d | nll | 271 | | 2 |
| | ½ bush. | Squash, Summer, 1 oz. to 40 hills | | 100 | 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 | 2 |
| Kale, I oz. to 3,000 plants | 4 OZ. | Squash, Winter, 1 oz. to 10 hills . | | | . 5 | . 3 |
| Kohlrabi, 1 oz. to 200 feet of drill | 11/2 lbs. | Tomato, 1 oz. to 3,000 plants | | 4 | .00 | . 3 oz. |
| Leek, 1 oz. to 250 feet of drill | 486 | Tobacco, 1 oz. to 500 plants | | | 100 10 | 2 |
| Lettuce, t oz. to 250 feet of drill | 3 | Turnip, 1 oz. to 250 feet of drill . | 10/40 | | A PARTY | . 11/2 lbs. |

NUMBER OF PLANTS, TREES, ETC., REQUIRED TO SET AN ACRE.


| DISTANCE. | NUMBER. | DISTANCE. | NUMBER. |
|------------------|----------|------------------|---------|
| a foot by a foot | . 43,560 | 6 feet by 6 feet | |
| 1/2 " 1/2 " | . 19,360 | 10 " 10 " | 680 |
| 2 " 2 " | . 10,890 | 12 " 12 " | |
| 21/2 " 21/4 " | . 6,970 | 15 " 15 " | 194 |
| | 7,260 | 18 " 18 " | |
| | 4,840 | 25 " 25 " | |
| | 2,722 | 30 " 30 " | 40 |
| | 1,742 | 40 40 | |

WEIGHT OF VARIOUS ARTICLES.

| Apples, | . Per bush., 48 lbs. | Sweet Potatoes | . Per bush., 56 lbs. |
|---------------------------------|--|---------------------------------------|----------------------|
| Dried | 22 " | Turnips | |
| Barley | . " 48 " | Beef and Pork, per bbl., net | 200 " |
| Broom Corn | 46 " | Flour, per bbl., net | 196 " |
| Bran | . 11 20 11 | White Fish and Trout, per bbl., net . | |
| Corn on ear | | Salt, per bbl. | |
| Corn Meal | | Lime, per bbl. | 220 4 |
| Charcoal | | Hay, well settled, per cubic foot . | |
| Coal, Mineral | . " 80 " | Corn, on Cob, in bin. | 41/2" |
| Cranberries | A SHOULD SHOULD SHOULD BE SHOULD BE SHOULD S | " Shelled, " | |
| Dried Peaches | 40 | Wheat " " | 15 45 |
| Irish Potatoes, heaping measure | 60 " | Oats " | 46 |
| Malt | | | |
| Osage Orange | . " 38 " | Foratoes | |
| Onions | . " 33 " | Sano, Dry | 95 |
| | 54 | Clay, Compact " | · · · · · · 135 |
| Plastering Hair | | Marble " | x69 ** |
| Salt, Coarse | . " 50 " | Seasoned Beech Wood, per cord | 5,616 " |
| " Michigan | . " 56 " | Seasoned Hickory, " | 6,960 * |

Northern Grown

SEEDS



ARE THE BEST